



## SAFETY DATA SHEET

### HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

According to Regulation (EC) No 1907/2006, Annex II, as amended by Regulation (EU) No 453/2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

<b>Product name</b>	HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK
<b>Product number</b>	MCC-SPR2D, MCC-SPR2P, MCC-SPR2G, MCC-SPR2L
<b>Internal identification</b>	Prototype 12-9-1, BULK

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

<b>Identified uses</b>	Cleaning agent.
<b>Uses advised against</b>	No specific uses advised against are identified.

##### 1.3. Details of the supplier of the safety data sheet

<b>Supplier</b>	MICROCARE EUROPE BVBA VEKESTRAAT 29 B11 INDUSTRIEZONE 'T SAS 1910 KAMPENHOUT, Belgium Phone +32.2.251.95.05 Fax +32.2.400.96.39 EuroSales@MicroCare.com
<b>Contact person</b>	eurosales@microcare.com
<b>Manufacturer</b>	MICROCARE U.K. LTD SEVEN HILLS BUSINESS PARK, MORLEY, LEEDS, WEST YORKSHIRE, UK LS27 8AT +44 (0) 3501008 mcceurope@microcare.com

##### 1.4. Emergency telephone number

<b>Emergency telephone</b>	INFOTRAC +44 330 027 0156 (UK) 1-352-323-3500 (from anywhere in the world)
----------------------------	---

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Classification (EC 1272/2008)

<b>Physical hazards</b>	Not Classified
<b>Health hazards</b>	Acute Tox. 4 - H332 Eye Irrit. 2 - H319 STOT SE 3 - H336
<b>Environmental hazards</b>	Aquatic Chronic 3 - H412

##### 2.2. Label elements

**HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK****Hazard pictograms****Signal word**

Warning

**Hazard statements**

H332 Harmful if inhaled.  
 H319 Causes serious eye irritation.  
 H336 May cause drowsiness or dizziness.  
 H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements**

P261 Avoid breathing vapour/ spray.  
 P264 Wash contaminated skin thoroughly after handling.  
 P271 Use only outdoors or in a well-ventilated area.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P312 Call a POISON CENTRE/doctor if you feel unwell.  
 P337+P313 If eye irritation persists: Get medical advice/ attention.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P405 Store locked up.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Supplemental label information**

EUH210 Safety data sheet available on request.  
 RCH001a For use in industrial installations only.

**Contains**

trans-dichloroethylene

**2.3. Other hazards**

This product contains a substance classified as PBT.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>trans-1,2-DICHLOROETHYLENE</b>		<b>60-100%</b>
CAS number: 156-60-5	EC number: 205-860-2	REACH registration number: 01-2120093504-55-0003
<b>Classification</b>		
Flam. Liq. 2 - H225		
Acute Tox. 4 - H332		
Eye Irrit. 2 - H319		
STOT SE 3 - H336		
Aquatic Chronic 3 - H412		
<b>Methyl Nonafluorobutyl Ether</b>		<b>10-30%</b>
CAS number: 163702-07-6	EC number: 422-270-2	REACH registration number: 01-2119899252-29-0001
<b>Classification</b>		
Not Classified		

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

<b>Methyl Nonafluoroisobutyl Ether</b>		<b>10-30%</b>
CAS number: 163702-08-7	EC number: 422-270-2	REACH registration number: 01-2119899252-29-0001
<b>Classification</b> Not Classified		

  

<b>Denatured Ethanol B100</b>		<b>5-10%</b>
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-0000
<b>Classification</b> Flam. Liq. 2 - H225		

The full text for all hazard statements is displayed in Section 16.

**Composition comments**      The data shown are in accordance with the latest EC Directives.

### Composition

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>General information</b>	If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel.
<b>Skin contact</b>	Rinse with water.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known. May be slightly irritating to eyes.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor**      Treat symptomatically.

#### SECTION 5: Firefighting measures

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

### 5.1. Extinguishing media

**Suitable extinguishing media** The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate.

### 6.2. Environmental precautions

**Environmental precautions** Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

### 7.1. Precautions for safe handling

<b>Usage precautions</b>	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.
<b>Advice on general occupational hygiene</b>	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

<b>Storage precautions</b>	Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.
<b>Storage class</b>	Miscellaneous hazardous material storage.

### 7.3. Specific end use(s)

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

##### **trans-1,2-DICHLOROETHYLENE**

Long-term exposure limit (8-hour TWA): ACGIH  
Short-term exposure limit (15-minute): ACGIH 200 ppm

##### **Methyl Nonafluorobutyl Ether**

Long-term exposure limit (8-hour TWA): 750 ppm

##### **Methyl Nonafluoroisobutyl Ether**

Long-term exposure limit (8-hour TWA): 750 ppm

##### **Denatured Ethanol B100**

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m<sup>3</sup>  
ACGIH = American Conference of Governmental Industrial Hygienists.  
WEL = Workplace Exposure Limit.

### 8.2. Exposure controls

#### Protective equipment



#### **Appropriate engineering controls**

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

#### **Eye/face protection**

Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

#### **Hand protection**

No specific hand protection recommended. Avoid contact with skin.

#### **Other skin and body protection**

Wear appropriate clothing to prevent repeated or prolonged skin contact.

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

<b>Hygiene measures</b>	Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.
<b>Respiratory protection</b>	Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with European Standard EN14387. Full face mask respirators with replaceable filter cartridges should comply with European Standard EN136. Half mask and quarter mask respirators with replaceable filter cartridges should comply with European Standard EN140.
<b>Environmental exposure controls</b>	Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Colourless.
<b>Odour</b>	Slight. Ether.
<b>Odour threshold</b>	No information available.
<b>pH</b>	No information available.
<b>Melting point</b>	No information available.
<b>Initial boiling point and range</b>	41°C/106°F @ 101.3 kPa
<b>Flash point</b>	Does not flash, Tag closed cup (ASTM D 56)
<b>Evaporation rate</b>	Fast
<b>Evaporation factor</b>	No information available.
<b>Flammability (solid, gas)</b>	Not applicable.
<b>Upper/lower flammability or explosive limits</b>	No information available.
<b>Other flammability</b>	The product is not flammable.
<b>Vapour pressure</b>	No information available.
<b>Vapour density</b>	No information available.
<b>Relative density</b>	1.265 g/cc
<b>Bulk density</b>	No information available.
<b>Solubility(ies)</b>	No information available.
<b>Partition coefficient</b>	No information available.
<b>Auto-ignition temperature</b>	No information available.
<b>Decomposition Temperature</b>	No information available.
<b>Viscosity</b>	No information available.
<b>Explosive properties</b>	No information available.
<b>Oxidising properties</b>	Not known.

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

### Global Warming Potential (GWP)

#### Surface tension

### 9.2. Other information

**Refractive index** No information available.

**Particle size** No information available.

**Molecular weight** Not applicable.

**Volatility** 100%

**Saturation concentration** No information available.

**Critical temperature** No information available.

**Heat of vaporization (at boiling point), cal/g (Btu/lb)**

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

**Reactivity** See the other subsections of this section for further details.

### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.

### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** No potentially hazardous reactions known.

### 10.4. Conditions to avoid

**Conditions to avoid** There are no known conditions that are likely to result in a hazardous situation.

### 10.5. Incompatible materials

**Materials to avoid** No specific material or group of materials is likely to react with the product to produce a hazardous situation.

### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

#### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Acute Tox. 4 - H332 Harmful if inhaled.

**ATE inhalation (vapours mg/l)** 16.18

#### Skin corrosion/irritation

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

<b>Animal data</b>	Based on available data the classification criteria are not met.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Based on available data the classification criteria are not met.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	Contains a substance/a group of substances which may cause cancer. IARC Group 1 Carcinogenic to humans.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b>General information</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness.
<b>Ingestion</b>	No specific symptoms known.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	No specific symptoms known.
<b>Route of exposure</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target organs</b>	No specific target organs known.
<b><u>Toxicological information on ingredients.</u></b>	

### trans-1,2-DICHLOROETHYLENE

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - oral</u></b>	
<b>Acute toxicity oral (LD<sub>50</sub> mg/kg)</b>	7,902.0



## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

<b>Species</b>	Rat
<b>ATE oral (mg/kg)</b>	7,902.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Acute toxicity dermal (LD<sub>50</sub> mg/kg)</b>	5,000.0
<b>Species</b>	Rat
<b>ATE dermal (mg/kg)</b>	5,000.0
<b><u>Acute toxicity - inhalation</u></b>	
<b>ATE inhalation (vapours mg/l)</b>	11.0
<b><u>Skin corrosion/irritation</u></b>	
<b>Skin corrosion/irritation</b>	Prolonged and frequent contact may cause redness and irritation.
<b>Animal data</b>	Slightly irritating. Rabbit
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	No specific test data are available.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	No specific test data are available.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	This substance has no evidence of mutagenic properties.
<b>Genotoxicity - in vivo</b>	This substance has no evidence of mutagenic properties.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No specific test data are available.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	NOAEL Not available.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	NOAEL 16 mg/l, 90 days
<b>Target organs</b>	Endocrine system Liver Kidneys Bladder Respiratory tract

### Methyl Nonafluorobutyl Ether

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - oral</u></b>	
<b>Acute toxicity oral (LD<sub>50</sub> mg/kg)</b>	5,000.0
<b>Species</b>	Rat
<b>ATE oral (mg/kg)</b>	5,000.0

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

### Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l) 1,000.0

Species Rat

ATE inhalation (vapours mg/l) 1,000.0

### Methyl Nonafluoroisobutyl Ether

### Acute toxicity - oral

Acute toxicity oral (LD<sub>50</sub> mg/kg) 5,000.0

Species Rat

### Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>50</sub> vapours mg/l) 1,000.0

Species Rat

ATE inhalation (vapours mg/l) 1,000.0

## SECTION 12: Ecological information

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

Ecotoxicity Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

#### Methyl Nonafluorobutyl Ether

Ecotoxicity There are no data on the ecotoxicity of this product.

#### Methyl Nonafluoroisobutyl Ether

Ecotoxicity The product is not expected to be toxic to aquatic organisms.

### 12.1. Toxicity

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

### Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 135 mg/l, Fish

Acute toxicity - aquatic invertebrates EC<sub>50</sub>, 48 hours: 220 mg/l, Daphnia magna

Acute toxicity - aquatic plants LC<sub>50</sub>, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata

### Chronic aquatic toxicity

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

**Chronic toxicity - fish early life stage** NOEC, 48 hours: 110,000 mg/l, Daphnia magna

### Methyl Nonafluorobutyl Ether

**Toxicity** Not considered toxic to fish.

### Methyl Nonafluoroisobutyl Ether

**Toxicity** Not considered toxic to fish.

### 12.2. Persistence and degradability

**Persistence and degradability** The degradability of the product is not known.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

**Biodegradation** Not readily biodegradable.  
Method: OECD Test Guideline 301D

### Methyl Nonafluorobutyl Ether

**Persistence and degradability** No data available.

### Methyl Nonafluoroisobutyl Ether

**Persistence and degradability** The product is not expected to be biodegradable.

### 12.3. Bioaccumulative potential

**Bioaccumulative potential** No data available on bioaccumulation.

**Partition coefficient** No information available.

### Ecological information on ingredients.

#### trans-1,2-DICHLOROETHYLENE

**Bioaccumulative potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

**Partition coefficient** log Pow: 2.06

### Methyl Nonafluorobutyl Ether

**Bioaccumulative potential** No data available on bioaccumulation.

### Methyl Nonafluoroisobutyl Ether

**Bioaccumulative potential** No data available on bioaccumulation.

### 12.4. Mobility in soil

**Mobility** No data available.

### Ecological information on ingredients.

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

### trans-1,2-DICHLOROETHYLENE

**Mobility** The product has poor water-solubility.

### Methyl Nonafluorobutyl Ether

**Mobility** Not applicable.

### Methyl Nonafluoroisobutyl Ether

**Mobility** Not applicable.

### 12.5. Results of PBT and vPvB assessment

### 12.6. Other adverse effects

**Other adverse effects** None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

**General information** The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

**Disposal methods** Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

## SECTION 14: Transport information

**General** Not regulated.

### 14.1. UN number

### 14.2. UN proper shipping name

No information required.

### 14.3. Transport hazard class(es)

No information required.

### 14.4. Packing group

No information required.

### 14.5. Environmental hazards

**Environmentally hazardous substance/marine pollutant**

No.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Health and Safety at Work etc. Act 1974 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. EH40/2005 Workplace exposure limits.
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 2015/830 of 28 May 2015. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

#### Inventories

##### EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways. RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail. IATA: International Air Transport Association. ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air. IMDG: International Maritime Dangerous Goods. CAS: Chemical Abstracts Service. ATE: Acute Toxicity Estimate. LC <sub>50</sub> : Lethal Concentration to 50 % of a test population. LD <sub>50</sub> : Lethal Dose to 50% of a test population (Median Lethal Dose). EC <sub>50</sub> : 50% of maximal Effective Concentration. PBT: Persistent, Bioaccumulative and Toxic substance. vPvB: Very Persistent and Very Bioaccumulative.
<b>Classification abbreviations and acronyms</b>	Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic)
<b>Classification procedures according to Regulation (EC) 1272/2008</b>	Acute Tox. 4 - H332: : Calculation method. Aquatic Chronic 3 - H412: : Calculation method.
<b>Training advice</b>	Only trained personnel should use this material.
<b>Revision date</b>	25/05/2021
<b>Revision</b>	7

## HEAVY DUTY FLUX REMOVER - SUPRCLEAN - EU, BULK

<b>Supersedes date</b>	25/05/2021
<b>SDS number</b>	BULK - SPR2
<b>Hazard statements in full</b>	H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.