

SAFETY DATA SHEET GENERAL PURPOSE DEGREASER, BULK

According to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013, as amended.

SECTION 1: identification of the hazardous chemical and of the supplier		
Product identifier		
Product name	GENERAL PURPOSE DEGREASER, BULK	
Product number	MCC-AXLL, MCC-AXLG, MCC-AXLP, MCC-AXLD, MCC-AXLGL, MCC-AXLGG	
Recommended use of the substance or mixture and restrictions on use		
Identified uses	Cleaning agent.	
Uses advised against	No specific uses advised against are identified.	
Details of the supplier of the s	afety data sheet	
Supplier	MICROCARE ASIA PTE LTD 102E, Pasir Panjang Road, Citilink, #05-06, Singapore 118529 Phone (65)6271.0182 techsupport@microcare.sg	
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: +1 800-638-0125, +1 860-827-0626 techsupport@microcare.com	
Emergency telephone number		
Emergency telephone	INFOTRAC +65 3163 5349 (SINGAPORE) 1-352-323-3500 (from anywhere in the world)	
SECTION 2: Hazard identifica	tion	
Classification of the substance	e or mixture	
Classification Physical hazards	Flam. Liq. 3 - H226	
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Haz 1 - H304	
Environmental hazards	Not Classified	
Physicochemical	Vapours may form explosive mixtures with air. Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers.	
Label elements		

Pictogram



Signal word	Danger
Hazard statements	H226 Flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H304 May be fatal if swallowed and enters airways.
Precautionary statements	 P210 Keep away from heat/ sparks/ open flames /hot surfaces – No smoking. P233 Keep container tightly closed. P240 Ground/ bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P314 Get medical advice/ attention if you feel unwell. P332+P313 If skin irritation occurs: Get medical advice/ attention. P363 Wash contaminated clothing before reuse. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with national regulations.
Contains	NAPHTHA (PETROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN
Supplementary precautionary statements	 P264 Wash contaminated skin thoroughly after handling. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/ physician. P303+P361+P353 IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/ shower. P321 Specific treatment (see medical advice on this label). P331 Do NOT induce vomiting. P362+P364 Take off contaminated clothing and wash before reuse. P405 Store locked up.

Other hazards

This product does not contain any substances classified as PBT or vPvB (persistent, bioaccumulative and toxic, or very persistent and very bioaccumulative).

SECTION 3: Composition and information of the ingredients of the hazardous chemical

Mixtures

1-propoxypropan-2-ol	30-60%
CAS number: 1569-01-3	
Classification Flam. Liq. 3 - H226 Skin Irrit. 2 - H315 Eye Irrit. 2 - H319	
NAPHTHA (PETROLEUM), LOW BOILING POINT HYD	HYDROTREATED HEAVY; 30-60% ROGEN
CAS number: 64742-48-9	
Classification Flam. Liq. 3 - H226 Asp. Haz 1 - H304	
The full text for all hazard sta	tements is displayed in Section 16.
Composition comments	The data shown are in accordance with the latest EC Directives.
Composition	
SECTION 4: First-aid measu	res
Description of first aid measu	
General information	Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Loosen tight clothing such as collar, tie or belt. Get medical attention if symptoms are severe or persist.
Ingestion	Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately.
Skin contact	Rinse with water.
Eye contact	Rinse with water. Do not rub eye. Remove any contact lenses and open eyelids wide apart. Get medical attention if any discomfort continues.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.
Most important symptoms an	d effects, both acute and delayed
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	No specific symptoms known.
Ingestion	May cause irritation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.
Skin contact	Redness. Irritating to skin.
Eye contact	Irritating to eyes.
Indication of any immediate r	nedical attention and special treatment needed
Notes for the doctor	Treat symptomatically.
SECTION 5: Fire-fighting me	asures

Extinguishing media

Suitable extinguishing media	The product is flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Special hazards arising from t	he substance or mixture
Specific hazards	Containers can burst violently or explode when heated, due to excessive pressure build-up. Flammable liquid and vapour. Vapours may be ignited by a spark, a hot surface or an ember. Vapours may form explosive mixtures with air. Fire-water run-off in sewers may create fire or explosion hazard.
Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
Advice for fire-fighters	
Protective actions during firefighting	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Fire-fighter's clothing will provide a basic level of protection for chemical incidents.
SECTION 6: Accidental release	se measures
	e measures ve equipment and emergency procedures
Personal precautions, protecti	ve equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes
Personal precautions, protecti Personal precautions	ve equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes
Personal precautions, protecti Personal precautions Environmental precautions	 ve equipment and emergency procedures Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Evacuate area. Provide adequate ventilation. No smoking, sparks, flames or other sources of ignition near spillage. Promptly remove any clothing that becomes contaminated. Avoid discharge into drains or watercourses or onto the ground.

Reference to other sections

a spillage. For waste disposal, see Section 13.

protection

GENERAL PURPOSE DEGREASER, BULK

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.	
SECTION 7: Handling and sto	rage	
Precautions for safe handling		
Usage precautions	Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. The product is flammable. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.	
Advice on general occupational hygiene	Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.	
Conditions for safe storage, in	cluding any incompatibilities	
Storage precautions	Store away from incompatible materials (see Section 10). Keep away from oxidising materials, heat and flames. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage.	
Storage class	Flammable liquid storage.	
Specific end use(s)		
Specific end use(s)	The identified uses for this product are detailed in Section 1.	
Reference to other sections.	Store away from incompatible materials (see Section 10).	
SECTION 8: Exposure control	is and personal protection	
Control parameters		
Exposure controls		
Protective equipment		
Appropriate engineering controls	Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients.	
Eye/face protection	Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full- face respirator may be required instead.	
Hand protection	Wear protective gloves. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, wear gloves that are proven to be impervious to the chemical and resist degradation. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.	

Other skin and body Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product.

Respiratory protection	Ensure all respiratory protective equipment is suitable for its intended use. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges suitable for intended use should be used. Full face mask respirators with replaceable filter cartridges suitable for intended use should be used. Half mask and quarter mask respirators with replaceable filter cartridges suitable for intended use should be used.
Environmental exposure	Keep container tightly sealed when not in use.

controls

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties		
Appearance	Liquid.	
Colour	Clear liquid. Colourless.	
Odour	Hydrocarbons.	
Odour threshold	No information available.	
рН	Not applicable.	
Melting point	No information available.	
Initial boiling point and range	149 - 193°C/300 - 380°F @ 101.3 kPa	
Flash point	44°C/111°F Tag closed cup.	
Evaporation rate	No information available.	
Evaporation factor	No information available.	
Flammability (solid, gas)	Not applicable.	
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: 12.7 %(V) Lower flammable/explosive limit: 2.0 %(V)	
Vapour pressure	0.27 kPa @ 20°C	
Vapour density	5.0	
Relative density	0.82 @ 25°C	
Bulk density	No information available.	
Solubility(ies)	Soluble in water.	
Partition coefficient	No information available.	
Auto-ignition temperature	No information available.	
Decomposition temperature	No information available.	
Viscosity	No information available.	
Global Warming Potential (GWP)		
Surface tension		
Refractive index	No information available.	
Particle size	Not applicable.	
Molecular weight	Not applicable.	
Volatility	100%	

Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 785 g/litre.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	
SECTION 10: Stability and rea	Ictivity
Reactivity	See the other subsections of this section for further details.
Stability	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
Possibility of hazardous reactions	The following materials may react strongly with the product: Oxidising agents.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Containers can burst violently or explode when heated, due to excessive pressure build-up. Static electricity and formation of sparks must be prevented.
Materials to avoid	Oxidising materials. Acids - oxidising.
Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.
SECTION 11: Toxicological int	formation
Information on toxicological eff	fects
Information on toxicological eff Acute toxicity - oral Notes (oral LD ₅₀)	fects Based on available data the classification criteria are not met.
Acute toxicity - oral	
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal	Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitization	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. Causes serious eye irritation.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitization Respiratory sensitization Skin sensitization	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. Causes serious eye irritation. Based on available data the classification criteria are not met.
Acute toxicity - oral Notes (oral LD ₅₀) Acute toxicity - dermal Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (dermal LD ₅₀) Acute toxicity - inhalation Notes (inhalation LC ₅₀) Skin corrosion/irritation Animal data Serious eye damage/irritation Serious eye damage/irritation Respiratory sensitization Respiratory sensitization Respiratory sensitization Skin sensitization Skin sensitization Germ cell mutagenicity	Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met. Irritating. Causes serious eye irritation. Based on available data the classification criteria are not met. Based on available data the classification criteria are not met.

Reproductive toxicity Reproductive toxicity - fertility	Based on available data the classification criteria are not met.	
Reproductive toxicity -	Based on available data the classification criteria are not met.	
development		
Specific target organ toxicity -	single exposure	
STOT - single exposure	Not classified as a specific target organ toxicant after a single exposure.	
Specific target organ toxicity -	repeated exposure	
STOT - repeated exposure	Not classified as a specific target organ toxicant after repeated exposure.	
Aspiration hazard		
Aspiration hazard	Asp. Haz 1 - H304 May be fatal if swallowed and enters airways. Pneumonia may be the result if vomited material containing solvents reaches the lungs.	
General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.	
Inhalation	No specific symptoms known.	
Ingestion	May cause irritation. Aspiration hazard if swallowed. Entry into the lungs following ingestion or vomiting may cause chemical pneumonitis.	
Skin contact	Redness. Irritating to skin.	
Eye contact	Irritating to eyes.	
Route of entry	Ingestion Inhalation Skin and/or eye contact	
Target organs	No specific target organs known.	
Medical symptoms	Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Headache. Fatigue. Nausea, vomiting. Skin irritation. Headache. Dizziness.	
Medical considerations	Skin disorders and allergies.	
Toxicological information on ir	ngredients	
NAPH	THA (PETROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN	
Acute toxicity - ir	halation	
Acute toxicity inhalation 5,000.0 (LC∞ vapours mg/l)		
ATE inhalation (\ mg/l)	/apours 5,000.0	
SECTION 12: Ecological Infor	mation	
Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.	
Ecological information on ingr	edients	
NAPH	THA (PETROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN	
Ecotoxicity	The product is not expected to be toxic to aquatic organisms.	
Toxicity	Record on available data the classification criteria are not mot	

Toxicity

Based on available data the classification criteria are not met.

GENERAL PURPOSE DEGREASER, BULK

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients

NAPHTHA (PETROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN

Phototransform	ation	No significant reaction in water.
Stability (hydro	lysis)	No significant reaction in water.
Biodegradation		Inherently biodegradable.
Bioaccumulative potential		
Bioaccumulative potential	No data	a available on bioaccumulation.
Partition coefficient	No info	rmation available.
Ecological information on ing	gredients	
NAP	HTHA (PE	TROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN
Partition coeffic	cient	No information available.
Mobility in soil		
Mobility	No data	a available.
Ecological information on ing	gredients	
NAP	-THA (PE ⁻	TROLEUM), HYDROTREATED HEAVY; LOW BOILING POINT HYDROGEN
Mobility		Not applicable.
ou 1 m 1		
Other adverse effects		
Other adverse effects	None k	nown.
		nown.
Other adverse effects		nown.
Other adverse effects SECTION 13: Disposal infor	The ge produc way. W be con thoroug	neration of waste should be minimised or avoided wherever possible. Reuse or recycle ts wherever possible. This material and its container must be disposed of in a safe /hen handling waste, the safety precautions applying to handling of the product should sidered. Care should be taken when handling emptied containers that have not been ghly cleaned or rinsed out. Empty containers or liners may retain some product as and hence be potentially hazardous.
Other adverse effects SECTION 13: Disposal infor Waste treatment methods	mation The ge produc way. W be con- thoroug residue Do not license clothes	neration of waste should be minimised or avoided wherever possible. Reuse or recycle ts wherever possible. This material and its container must be disposed of in a safe /hen handling waste, the safety precautions applying to handling of the product should sidered. Care should be taken when handling emptied containers that have not been ghly cleaned or rinsed out. Empty containers or liners may retain some product as and hence be potentially hazardous. empty into drains. Dispose of surplus products and those that cannot be recycled via a d waste disposal contractor. Waste, residues, empty containers, discarded work and contaminated cleaning materials should be collected in designated containers, d with their contents. Incineration or landfill should only be considered when recycling is
Other adverse effects SECTION 13: Disposal infor Waste treatment methods General information	The ge produc way. W be con thoroug residue Do not license clothes labelled not fea	neration of waste should be minimised or avoided wherever possible. Reuse or recycle ts wherever possible. This material and its container must be disposed of in a safe /hen handling waste, the safety precautions applying to handling of the product should sidered. Care should be taken when handling emptied containers that have not been ghly cleaned or rinsed out. Empty containers or liners may retain some product es and hence be potentially hazardous. empty into drains. Dispose of surplus products and those that cannot be recycled via a d waste disposal contractor. Waste, residues, empty containers, discarded work and contaminated cleaning materials should be collected in designated containers, d with their contents. Incineration or landfill should only be considered when recycling is sible.
Other adverse effects SECTION 13: Disposal infor Waste treatment methods General information Disposal methods	The ge produc way. W be cons thoroug residue Do not license clothes labelled not fea	neration of waste should be minimised or avoided wherever possible. Reuse or recycle ts wherever possible. This material and its container must be disposed of in a safe /hen handling waste, the safety precautions applying to handling of the product should sidered. Care should be taken when handling emptied containers that have not been ghly cleaned or rinsed out. Empty containers or liners may retain some product es and hence be potentially hazardous. empty into drains. Dispose of surplus products and those that cannot be recycled via a d waste disposal contractor. Waste, residues, empty containers, discarded work and contaminated cleaning materials should be collected in designated containers, d with their contents. Incineration or landfill should only be considered when recycling is sible.
Other adverse effects SECTION 13: Disposal inform Waste treatment methods General information Disposal methods SECTION 14: Transportation	The ge produc way. W be cons thoroug residue Do not license clothes labelled not fea minformation	neration of waste should be minimised or avoided wherever possible. Reuse or recycle ts wherever possible. This material and its container must be disposed of in a safe /hen handling waste, the safety precautions applying to handling of the product should sidered. Care should be taken when handling emptied containers that have not been ghly cleaned or rinsed out. Empty containers or liners may retain some product as and hence be potentially hazardous. empty into drains. Dispose of surplus products and those that cannot be recycled via a d waste disposal contractor. Waste, residues, empty containers, discarded work and contaminated cleaning materials should be collected in designated containers, d with their contents. Incineration or landfill should only be considered when recycling is sible. on ements for marking and labeling of package varies depending on mode of transport. If

UN No. (IMDG)	1993
UN No. (ICAO)	1993
UN proper shipping name	
Proper shipping name (Road/Rail)	UN1993, Flammable Liquid N.O.S. (1-propoxy-2-propanol and mixed aliphatic hydrocarbons), 3, III
Proper shipping name (IMDG)	UN1993, Flammable Liquid, N.O.S (1-propoxy-2propanol and mixed aliphatic hydrocarbons), 3, III
Proper shipping name (ICAO)	UN1993, Flammable Liquid N.O.S. (1-propoxy-2-propanol and mixed aliphatic hydrocarbons), 3, III
Transport hazard class(es)	
ICAO class/division	3 Flammable Liquid
Packing group	
ICAO packing group	III
Environmental hazards	
Special precautions for user	
SECTION 15: Regulatory infor	mation
Safety, health and environmen	tal regulations specific for the substance or mixture

Inventories

US - TSCA 12(b) Export Notification Not listed.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

	 IATA: International air transport association. ICAO: Technical instructions for the safe transport of dangerous goods by air. IMDG: International maritime dangerous goods. CAS: Chemical abstracts service. ATE: Acute toxicity estimate. LC₅₀: Lethal concentration to 50 % of a test population. LD₅₀: Lethal dose to 50% of a test population (median lethal dose). EC₅₀: 50% of maximal effective concentration. PBT: Persistent, bioaccumulative and toxic substance. vPvB: Very persistent and very bioaccumulative.
Classification abbreviations and acronyms	Flam. Liq. = Flammable liquid Asp. Haz. = Aspiration hazard Eye Irrit. = Eye irritation Skin Irrit. = Skin irritation
Training advice	Only trained personnel should use this material.
Revision date	3/6/2021
Revision	33
Supersedes date	11/5/2021

SDS number	BULK - AXL
SDS status	Approved.
Hazard statements in full	H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H319 Causes serious eye irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.