

# SAFETY DATA SHEET CleanBlast™ HFE-based Cleaning Fluid

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200

#### 1. Identification

Product identifier

Product name CleanBlast™ HFE-based Cleaning Fluid

Product number FCLP-SOL1, FCLP-SOL1-6, FCLP-SOL1-XL

Recommended use of the chemical and restrictions on use

**Application** Cleaning agent.

Details of the supplier of the safety data sheet

Supplier MICROCARE LLC

Manufacturer MICROCARE LLC

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: + 1 800 638 0125, +1 860-827-0626

techsupport@microcare.com

**Emergency telephone number** 

Emergency telephone INFOTRAC 1-800-535-5053 (U.S.A. and CANADA)

1-352-323-3500 (from anywhere in the world)

# 2. Hazard(s) identification

### Classification of the substance or mixture

OSHA Regulatory Status This Product is Hazardous under the OSHA Hazard Communication Standard.

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H332

**Environmental hazards** Aquatic Chronic 3 - H412

Human health Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Mild

dermatitis, allergic skin rash.

**Environmental** The product contains a substance which is harmful to aquatic organisms and which may

cause long-term adverse effects in the aquatic environment.

Physicochemical Vapors are heavier than air and may travel along the floor and accumulate in the bottom of

containers. Not considered to be a significant hazard due to the small quantities used. Gas or

vapor displaces oxygen available for breathing (asphyxiant).

#### Label elements

### Hazard symbols



Signal word Warning

Hazard statements H332 Harmful if inhaled.

H412 Harmful to aquatic life with long lasting effects.

**Precautionary statements** P261 Avoid breathing vapor/ spray.

P271 Use only outdoors or in a well-ventilated area.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/ doctor if you feel unwell.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

Safety data sheet available on request. For use in industrial installations only.

Contains trans-1,2-DICHLOROETHYLENE

#### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### 3. Composition/information on ingredients

#### **Mixtures**

trans-1,2-DICHLOROETHYLENE	66-70%
----------------------------	--------

CAS number: 156-60-5

#### Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT SE 3 - H336 Aquatic Chronic 3 - H412

# ETHYL NONAFLUOROBUTYL ETHER

4-16%

CAS number: 163702-05-4

#### Classification

Not Classified

#### ETHYL NONAFLUOROISOBUTYL ETHER

4-16%

CAS number: 163702-06-5

# Classification

Not Classified

# CleanBlast™ HFE-based Cleaning Fluid

Methyl Nonafluorobutyl Ether 2-8%

CAS number: 163702-07-6

**Classification**Not Classified

Methyl Nonafluoroisobutyl Ether 2-8%

CAS number: 163702-08-7

Classification
Not Classified

PROPAN-2-OL 1-3%

CAS number: 67-63-0

Classification

Flam. Liq. 2 - H225 Eye Irrit. 2A - H319 STOT SE 3 - H336

The full text for all hazard statements is displayed in Section 16.

Composition comments TSCA: The ingredients of this product are on the TSCA Inventory. The exact percentage

(concentration) of composition has been withheld as a trade secret in accordance with

paragraph (i) of CFR 1900.1200

Composition

4. First-aid measures

Description of first aid measures

**General information** Never give anything by mouth to an unconscious person. Do not induce vomiting. Place

unconscious person on the side in the recovery position and ensure breathing can take place.

If breathing stops, provide artificial respiration. Consult a physician for specific advice.

**Inhalation** Remove affected person from source of contamination. Move affected person to fresh air and

keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical

attention.

**Ingestion** Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not

enter the lungs. Never give anything by mouth to an unconscious person. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Get medical

attention.

**Skin Contact** Remove contaminated clothing and rinse skin thoroughly with water.

Eye contact Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15

minutes. Consult a physician for specific advice.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

**Inhalation** Vapors may cause headache, fatigue, dizziness and nausea.

# CleanBlast™ HFE-based Cleaning Fluid

**Ingestion** May cause nausea, headache, dizziness and intoxication. May cause stomach pain or

vomiting.

**Skin contact** Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

**Eye contact** Irritation and redness, followed by blurred vision.

### Indication of immediate medical attention and special treatment needed

**Notes for the doctor**No specific recommendations. If in doubt, get medical attention promptly.

### 5. Fire-fighting measures

### **Extinguishing media**

Suitable extinguishing media The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.

#### Special hazards arising from the substance or mixture

Flammability Class The product is not flammable.

Specific hazards Keep away from heat, sparks and open flame. Thermal decomposition or combustion

products may include the following substances: Toxic and corrosive gases or vapors. Aerosol

containers can explode when heated, due to excessive pressure build-up.

### Advice for firefighters

Protective actions during

firefighting

Move containers from fire area if it can be done without risk.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective

clothing.

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

**Personal precautions** Warn everybody of potential hazards and evacuate if necessary. Provide adequate ventilation.

Avoid inhalation of vapors. Use approved respirator if air contamination is above an

acceptable level.

**Environmental precautions** 

Environmental precautions Contain spillage with sand, earth or other suitable non-combustible material. Avoid release to

the environment.

#### Methods and material for containment and cleaning up

Methods for cleaning up Provide adequate ventilation. Contain spillage with sand, earth or other suitable non-

combustible material. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers

and seal securely.

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see section 13.

# 7. Handling and storage

#### Precautions for safe handling

**Usage precautions** Provide adequate ventilation. Avoid inhalation of vapors/spray and contact with skin and eyes.

Keep away from heat, sparks and open flame. Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapors. Keep

out of the reach of children.

### Conditions for safe storage, including any incompatibilities

Storage precautions Store at room temperature.

Specific end uses(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

### 8. Exposure controls/Personal protection

#### Control parameters

#### Occupational exposure limits

#### trans-1,2-DICHLOROETHYLENE

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m³

#### Methyl Nonafluorobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

#### Methyl Nonafluoroisobutyl Ether

Long-term exposure limit (8-hour TWA): 750 ppm

#### PROPAN-2-OL

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³ Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³ Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³

A4

ACGIH = American Conference of Governmental Industrial Hygienists.

OSHA = Occupational Safety and Health Administration.

A4 = Not Classifiable as a Human Carcinogen.

Ingredient comments WEL = Workplace Exposure Limits ACGIH = US Standard.

#### **Exposure controls**

#### Protective equipment





Appropriate engineering controls

No specific ventilation requirements. This product must not be handled in a confined space without adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is

required, the following protection should be worn: Tight-fitting safety glasses.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). Viton rubber (fluoro rubber).

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Wear

apron or protective clothing in case of contact.

Hygiene measures

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. When using do not eat, drink or

smoke.

Respiratory protection

Vapors are heavier than air and may travel along the floor and accumulate in the bottom of containers. In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Wear self-contained breathing apparatus with full facepiece.

# CleanBlast™ HFE-based Cleaning Fluid

Thermal hazards Toxic and corrosive gases or vapors.

Slight.

### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance Clear liquid.

Color Colorless.

Odor threshold No information available.

pH No information available.
 Melting point No information available.
 Initial boiling point and range 45°C/113°F @ unspecified

Flash point Does not flash

Evaporation rate

No information available.

Evaporation factor

No information available.

Flammability (solid, gas)

No information available.

Upper/lower flammability or

explosive limits

Odor

Upper flammable/explosive limit: 14.5 %(V) Lower flammable/explosive limit: 5.9 %(V)

Other flammability No information available.

Vapor pressure 48 kPa @ 25°C

Vapor density 2.26

Relative density 1.27 @ unspecified°C

Bulk density No information available.

**Solubility(ies)** Slightly soluble in water.

Partition coefficient No information available.

**Auto-ignition temperature** 408°C/766.4°F

Decomposition TemperatureNo information available.Viscosity0.4 cP @ unspecified°CExplosive propertiesNo information available.

Refractive index

No information available.

Particle size

No information available.

Molecular weight

No information available.

Volatility 100%

Saturation concentration No information available.

Critical temperature No information available.

Volatile organic compound This product contains a maximum VOC content of 889 g/l.

# 10. Stability and reactivity

# CleanBlast™ HFE-based Cleaning Fluid

**Reactivity** There are no known reactivity hazards associated with this product.

Stability Stable at normal ambient temperatures and when used as recommended.

Possibility of hazardous

reactions

Will not polymerize.

Conditions to avoid Keep away from heat, sparks and open flame. Thermal decomposition or combustion

products may include the following substances: Toxic and corrosive gases or vapors.

Materials to avoid Alkali metals. Alkaline earth metals. Powdered metal.

Hazardous decomposition

products

Heating may generate the following products: Toxic and corrosive gases or vapors.

Halogenated hydrocarbons. Hydrogen fluoride (HF). Carbon dioxide (CO2). Carbon monoxide (CO).

11. Toxicological information

Information on toxicological effects

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 16.67

Inhalation Vapors may irritate throat/respiratory system. A single exposure may cause the following

adverse effects: Coughing. Difficulty in breathing.

Ingestion May cause stomach pain or vomiting. May cause nausea, headache, dizziness and

intoxication.

**Skin Contact** Product has a defatting effect on skin. May cause allergic contact eczema.

**Eye contact** May cause temporary eye irritation.

Medical Symptoms Gas or vapor in high concentrations may irritate the respiratory system. Symptoms following

overexposure may include the following: Headache. Fatigue. Nausea, vomiting.

Toxicological information on ingredients.

trans-1,2-DICHLOROETHYLENE

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

7,902.0

Species Rat

**ATE oral (mg/kg)** 7,902.0

Acute toxicity - dermal

Acute toxicity dermal (LD<sub>50</sub> 5,000.0

mg/kg)

Species Rat

**ATE dermal (mg/kg)** 5,000.0

# CleanBlast™ HFE-based Cleaning Fluid

Acute toxicity - inhalation

ATE inhalation (vapours

mg/l)

11.0

Skin corrosion/irritation

**Skin corrosion/irritation** Prolonged and frequent contact may cause redness and irritation.

Animal data Slightly irritating. Rabbit

Serious eye damage/irritation

Serious eye

Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.

damage/irritation

Respiratory sensitization

**Respiratory sensitization** No specific test data are available.

Skin sensitization

**Skin sensitization** No specific test data are available.

Germ cell mutagenicity

**Genotoxicity - in vitro**This substance has no evidence of mutagenic properties.

**Genotoxicity - in vivo**This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Specific target organ toxicity - single exposure

STOT - single exposure NOAEL Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 16 mg/l, 90 days

Target organs Endocrine system Liver Kidneys Bladder Respiratory tract

Methyl Nonafluorobutyl Ether

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD₅o

5,000.0

mg/kg)

Species Rat

**ATE oral (mg/kg)** 5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

1,000.0

Species Rat

ATE inhalation (vapours

mg/l)

1,000.0

Methyl Nonafluoroisobutyl Ether

# CleanBlast™ HFE-based Cleaning Fluid

Acute toxicity - oral

Acute toxicity oral (LD₅o

mg/kg)

5,000.0

**Species** Rat

Acute toxicity - inhalation

Acute toxicity inhalation (LC<sub>∞</sub> vapours mg/l)

1,000.0

Species

Rat

ATE inhalation (vapours

mg/l)

1,000.0

PROPAN-2-OL

Acute toxicity - inhalation

Acute toxicity inhalation

16,000.0

(LC<sub>50</sub> vapours mg/l)

ATE inhalation (vapours

mg/l)

16,000.0

Carcinogenicity

IARC carcinogenicity

IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity

Not listed.

**OSHA Carcinogenicity** 

Not listed.

# 12. Ecological information

**Ecotoxicity** 

There are no data on the ecotoxicity of this product.

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

**Ecotoxicity** Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

Methyl Nonafluorobutyl Ether

**Ecotoxicity** There are no data on the ecotoxicity of this product.

Methyl Nonafluoroisobutyl Ether

**Ecotoxicity** The product is not expected to be toxic to aquatic organisms.

**Toxicity** No data available.

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 135 mg/l, Fish

# CleanBlast™ HFE-based Cleaning Fluid

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 220 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC<sub>50</sub>, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

life stage

Chronic toxicity - fish early NOEC, 48 hours: 110,000 mg/l, Daphnia magna

Methyl Nonafluorobutyl Ether

**Toxicity** Not considered toxic to fish.

Methyl Nonafluoroisobutyl Ether

**Toxicity** Not considered toxic to fish.

PROPAN-2-OL

Acute aquatic toxicity

Acute toxicity - fish LC<sub>50</sub>, 96 hours: 9,640 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC<sub>50</sub>, 48 hours: 5102 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC<sub>50</sub>, 72 hours: >2,000 mg/l, Algae

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

Biodegradation Not readily biodegradable.

Method: OECD Test Guideline 301D

Methyl Nonafluorobutyl Ether

Persistence and

degradability

No data available.

Methyl Nonafluoroisobutyl Ether

Persistence and

degradability

The product is not expected to be biodegradable.

Bioaccumulative potential

**Bio-Accumulative Potential** No data available on bioaccumulation.

Partition coefficient No information available.

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

# CleanBlast™ HFE-based Cleaning Fluid

Bio-Accumulative Potential Bioaccumulation is unlikely to be significant because of the low water-solubility of

this product.

Partition coefficient log Pow: 2.06

Methyl Nonafluorobutyl Ether

Bio-Accumulative Potential No data available on bioaccumulation.

Methyl Nonafluoroisobutyl Ether

Bio-Accumulative Potential No data available on bioaccumulation.

PROPAN-2-OL

Partition coefficient : 0.05

Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all

surfaces.

Ecological information on ingredients.

trans-1,2-DICHLOROETHYLENE

**Mobility** The product has poor water-solubility.

Methyl Nonafluorobutyl Ether

Mobility Not applicable.

Methyl Nonafluoroisobutyl Ether

Mobility Not applicable.

Other adverse effects

Other adverse effects The product contains a substance which has a photochemical ozone creation potential.

13. Disposal considerations

Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site

in accordance with the requirements of the local Waste Disposal Authority.

**Disposal methods**Dispose of waste to licensed waste disposal site in accordance with the requirements of the

local Waste Disposal Authority. Empty containers must not be punctured or incinerated because of the risk of an explosion. Aerosol containers can explode when heated, due to

excessive pressure build-up. Reuse or recycle products wherever possible.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, DOT).

**UN Number** 

UN No. (International) Not applicable.

UN proper shipping name

# CleanBlast™ HFE-based Cleaning Fluid

Proper shipping name

(International)

Not applicable.

Transport hazard class(es)

**Transport Labels** 

No transport warning sign required.

(International)

**DOT transport labels** 

No transport warning sign required.

Packing group

Packing group (International) Not applicable.

**Environmental hazards** 

**Environmentally Hazardous Substance** 

No.

Special precautions for user

Not applicable.

**DOT TIH Zone** Not applicable.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

### 15. Regulatory information

# **US Federal Regulations**

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

trans-1,2-DICHLOROETHYLENE

Final CERCLA RQ: 1000(454) pounds (Kilograms)

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

Not listed.

**CAA Accidental Release Prevention** 

Not listed.

SARA (311/312) Hazard Categories

Acute Chronic

**OSHA Highly Hazardous Chemicals** 

Not listed.

**US State Regulations** 

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

# California Air Toxics "Hot Spots" (A-I)

PROPAN-2-OL

Present.

California Air Toxics "Hot Spots" (A-II)

Not listed.

#### California Directors List of Hazardous Substances

PROPAN-2-OL

Present.

trans-1,2-DICHLOROETHYLENE

Present.

## Massachusetts "Right To Know" List

PROPAN-2-OL

Present.

trans-1,2-DICHLOROETHYLENE

Present.

### Rhode Island "Right To Know" List

PROPAN-2-OL

# Minnesota "Right To Know" List

PROPAN-2-OL

Present.

### New Jersey "Right To Know" List

PROPAN-2-OL

Present.

### Pennsylvania "Right To Know" List

PROPAN-2-OL

Present.

trans-1,2-DICHLOROETHYLENE

Present.

### Inventories

Canada - DSL/NDSL

DSL

US - TSCA

Yes

# US - TSCA 12(b) Export Notification

The following ingredients are listed:

Methyl Nonafluorobutyl Ether

Present.

Methyl Nonafluoroisobutyl Ether

Present.

### 16. Other information

**Revision comments** NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 1/3/2022

Revision 46

Supersedes date 5/19/2021

SDS No. BULK - FCLP-SOL1

SDS status Approved.

Hazard statements in full H225 Highly flammable liquid and vapor.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.