










Fiber Optic Cleaning Kits
Recommendations for FTTA Networks




FTTA Network Overview









- Fiber To The Antenna (FTTA) networks use 1.25mm based LC/UPC connector systems and the 1.25mm harden connectors called ODC (Huber+Suhner), RDC (Rosenberger) or AARC (Amphenol)
- LC/UPC and ODC style harden connector are dominate since most of the active antenna and radiohead have space limitations





Where to Locate the FTTA Builds

FTTA networks are popping up everywhere across North America and globally.







Network Operators & Their Profiles

Cell and DAS Site Owners





















Sticklers™ Products for FTTA Environments



1.25mm CLEANSTIXX™ Sticks P/N: MCC-S12

- Box of 50 sticks
- Clean in adapter & hardened FTTA connectors



CLEANWIPES 640 Optical Grade Wipes P/N: MCC-WCS640

- 8 slot cleaning window spaced for LC & SC duplex with static dissipative medium
- Plastic sealable box
- Use wipes for cleaning connectors & for cleaning fiber for splicing pigtails



Sticklers™ Cleaning Fluid P/N: MCC-POC03M (3oz can) P/N: MCC-POC10M (10oz can)

- Can will not spill or cross contaminate
- Use for wet-dry cleaning & fiber slicing






Sticklers™ Products for FTTA Environments







1.25mm CLEANCLICKER™ 750 Cleaner P/N: MCC-CCU125

- Provides 750 engagements
 & REFILLABLE
- Cleans in adapter & LC assemblies plus the pin & socket of hardened 1.25mm FTTA assemblies

1.25mm CLEANCLICKER™ 400 Cleaner P/N: MCC-CCM125

- Provides 400 engagements
- Cleans in adapter & LC assemblies plus the pin & socket of hardened 1.25mm FTTA assemblies
- Compact size is fits into confined spaces

Cassette CLEANCLICKER™ cleaner P/N: MCC-CCWRC

- Microwoven fabric cleaning ribbon
- Manual advancement of cleaning ribbon
- Static dissipative medium in cleaning window

