

SAFETY DATA SHEET FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Product number MCC-FRCL, MCC-FRCG, MCC-FRCD, MCC-FRCGL, MCC-FRCGG

Synonyms; Common Names FRC - FLUX REMOVER C - BULK

Recommended use of the chemical and restrictions on use

Uses advised againstNo specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier MICROCARE LLC

Manufacturer MICROCARE LLC

595 John Downey Drive New Britain, CT 06051 United States of America

CAGE: OATV9

Tel: +1 800-638-0125, +1 860-827-0626

techsupport@microcare.com

Emergency telephone number

Emergency telephone INFOTRAC 1-800-535-5053 (CANADA and U.S.A.)

1-352-323-3500 (from anywhere in the world)

2. Hazard identification

Classification of the substance or mixture

WHMIS Regulatory Status This product has been classified according to the hazard criteria of the Hazardous Product

Regulations and the SDS contains all required information.

Physical hazards Not Classified

Health hazards Eye Irrit. 2A - H319 Repr. 1A - H360 STOT SE 1 - H370 STOT SE 3 - H336

Environmental hazards Aquatic Chronic 3 - H412

Label elements

Hazard pictograms





Signal word Danger

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Hazard statements H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H336 May cause drowsiness or dizziness.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements P260 Do not breathe vapour/ spray.

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P302+P352 IF ON SKIN: Wash with plenty of water. P314 Get medical advice/ attention if you feel unwell.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

AT(d) 18.0 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

information

Safety data sheet available on request. For use in industrial installations only.

Contains trans-1,2-DICHLOROETHYLENE, METHANOL

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

trans-1,2-DICHLOROETHYLENE

30-60% Trade secret

CAS number: 156-60-5

Classification

Flam. Liq. 2 - H225 Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT SE 3 - H336 Aquatic Chronic 3 - H412

1,1,1,2,2,3,4,5,5,5-decafluoropentane

15-40% Trade secret

CAS number: 138495-42-8

Classification

Aquatic Chronic 3 - H412

1,1,1,3,3-PENTAFLUOROBUTANE

30-60% Trade secret

CAS number: 406-58-6

Classification

Flam. Liq. 2 - H225

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

METHANOL 1-5% Trade secret

CAS number: 67-56-1

Classification

Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 Eye Irrit. 2A - H319 Repr. 1A - H360 STOT SE 1 - H370

The full text for all hazard statements is displayed in Section 16.

Composition comments Not applicable.

Ingredient notes A MIXTURE OF: (R,R)-1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE, (S,S)-

1,1,1,2,2,3,4,5,5,5-DECAFLUOROPENTANE has been revised to 1,1,1,2,2,3,4,5,5,5-

decafluoropentane. No change in chemistry. 20JUL17

Composition

4. First-aid measures

Description of first aid measures

General information Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical

personnel.

Inhalation Move affected person to fresh air and keep warm and at rest in a position comfortable for

breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery

position and ensure breathing can take place.

Ingestion Rinse mouth thoroughly with water. Give a few small glasses of water or milk to drink. Stop if

the affected person feels sick as vomiting may be dangerous. Never give anything by mouth to an unconscious person. Place unconscious person on their side in the recovery position and ensure breathing can take place. Keep affected person under observation. Get medical

attention if symptoms are severe or persist.

Skin contact Rinse with water.

Eye contact Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical

attention if any discomfort continues.

Protection of first aiders First aid personnel should wear appropriate protective equipment during any rescue.

Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation A single exposure may cause the following adverse effects: Pain or irritation. Intoxication.

Narcotic effect. Muscle weakness. Nausea, vomiting.

Ingestion A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting.

May cause drowsiness or dizziness. Central nervous system depression. May cause severe

internal injury.

Skin contact A single exposure may cause the following adverse effects: Pain.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Eye contact No specific symptoms known. May be slightly irritating to eyes.

Indication of any immediate medical attention and special treatment needed

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry

powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the hazardous product

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

Advice for firefighters

Protective actions during firefighting

Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.

Special protective equipment for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this s

Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate.

Environmental precautions

Environmental precautions Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the

aquatic environment.

Methods and material for containment and cleaning up

Methods for cleaning up

Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health

hazards. See Section 12 for additional information on ecological hazards. For waste disposal,

see Section 13.

7. Handling and storage

Precautions for safe handling

Usage precautions Read and follow manufacturer's recommendations. Wear protective clothing as described in

Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash

contaminated clothing before reuse.

Conditions for safe storage, including any incompatibilities

Storage precautions Store away from incompatible materials (see Section 10). Keep only in the original container.

Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect

containers from damage.

Storage class Miscellaneous hazardous material storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

trans-1,2-DICHLOROETHYLENE

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m³

1,1,1,3,3-PENTAFLUOROBUTANE

Long-term exposure limit (8-hour TWA): SUP 1000 ppm

METHANOL

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 262 mg/m³ Short-term exposure limit (15-minute): ACGIH 250 ppm 328 mg/m³

Sk

ACGIH = American Conference of Governmental Industrial Hygienists.

Sk = Danger of cutaneous absorption.

Ingredient comments WEL = Workplace Exposure Limits ACGIH = US Standard.

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Eye/face protectionUnless the assessment indicates a higher degree of protection is required, the following

protection should be worn: Tight-fitting safety glasses.

Hand protection No specific hand protection recommended. Avoid contact with skin.

Other skin and body

protection

Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke

when using this product.

Respiratory protection Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH

approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Full face mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial

regulation relating to health and safety at work.

Environmental exposure

controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Clear liquid.

Colour Colourless.

Odour Slight. Ether.

Initial boiling point and range 37°C/99°F @ 101.3 kPa

Flash point The product is not flammable.

Upper/lower flammability or

explosive limits

Upper flammable/explosive limit: 9.0 %(V) Lower flammable/explosive limit: 7.5 %(V)

Other flammability The product is not flammable.

Vapour pressure 65 kPa @ 25°C

Vapour density 4.0

Relative density 1.37

Bulk density Not applicable.

Solubility(ies) Slightly soluble in water.

Auto-ignition temperature No information available.

Viscosity No information available.

Explosive properties No information available.

Global Warming Potential

(GWP)

Surface tension

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Refractive index No information available.

Particle size No information available.

Molecular weight No information available.

Volatility 100%

Saturation concentration 600

Critical temperature No information available.

Volatile organic compound This product contains a maximum VOC content of 590 g/l.

Heat of vaporization (at boiling

point), cal/g (Btu/lb)

10. Stability and reactivity

Reactivity See the other subsections of this section for further details.

Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

Possibility of hazardous

reactions

No potentially hazardous reactions known.

Conditions to avoid There are no known conditions that are likely to result in a hazardous situation.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

11. Toxicological information

Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

ATE oral (mg/kg) 2,857.14

Acute toxicity - dermal

Notes (dermal LD50) Based on available data the classification criteria are not met.

ATE dermal (mg/kg) 8,571.43

Acute toxicity - inhalation

Notes (inhalation LC50) Based on available data the classification criteria are not met.

ATE inhalation (vapours mg/l) 20.43

ATE inhalation (dusts/mists

14.29

mg/l)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitroBased on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicityNone of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity -

Based on available data the classification criteria are not met.

development

Specific target organ toxicity - single exposure

STOT - single exposure STOT SE 1 - H370 Causes damage to organs .

Specific target organ toxicity - repeated exposure

STOT - repeated exposure
Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration and the

length of exposure.

Inhalation A single exposure may cause the following adverse effects: Pain or irritation. Intoxication.

Narcotic effect. Muscle weakness. Nausea, vomiting.

Ingestion A single exposure may cause the following adverse effects: Intoxication. Nausea, vomiting.

May cause drowsiness or dizziness. Central nervous system depression. May cause severe

internal injury.

Skin contact A single exposure may cause the following adverse effects: Pain.

Eye contact No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

Toxicological information on ingredients

trans-1,2-DICHLOROETHYLENE

Other health effects There is no evidence that the product can cause cancer.

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

7,902.0

Species Rat

ATE oral (mg/kg) 7,902.0

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 5,000.0

mg/kg)

Species Rat

ATE dermal (mg/kg) 5,000.0

Acute toxicity - inhalation

ATE inhalation (vapours

mg/l)

Skin corrosion/irritation

Skin corrosion/irritation Prolonged and frequent contact may cause redness and irritation.

Animal data Slightly irritating. Rabbit

11.0

Serious eye damage/irritation

Serious eye Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.

damage/irritation

Respiratory sensitization

Respiratory sensitization No specific test data are available.

Skin sensitization

Skin sensitization No specific test data are available.

Germ cell mutagenicity

Genotoxicity - in vitroThis substance has no evidence of mutagenic properties.

Genotoxicity - in vivoThis substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Specific target organ toxicity - single exposure

STOT - single exposure NOAEL Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 16 mg/l, 90 days

Target organs Endocrine system Liver Kidneys Bladder Respiratory tract

1,1,1,2,2,3,4,5,5,5-decafluoropentane

Acute toxicity - oral

Acute toxicity oral (LD₅₀

mg/kg)

5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ 5,000.0

mg/kg)

Species Rat

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

ATE dermal (mg/kg) 5,000.0

Acute toxicity - inhalation

Acute toxicity inhalation 1

(LC50 vapours mg/l)

114.0

Species Rat

ATE inhalation (vapours

mg/l)

114.0

Skin corrosion/irritation

Animal data Not irritating. Rabbit

Human skin model test Data lacking.

Extreme pH Not applicable. Not corrosive to skin.

Serious eye damage/irritation

Serious eye

Not irritating. Rabbit

damage/irritation

Respiratory sensitization

Respiratory sensitization Data lacking.

Skin sensitization

Skin sensitization Not sensitising. - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitroThis substance has no evidence of mutagenic properties.

Genotoxicity - in vivoThis substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity Does not contain any substances known to be carcinogenic.

IARC carcinogenicity Not listed.

Reproductive toxicity

Reproductive toxicity -

fertility

No evidence of reproductive toxicity in animal studies.

Skin contact Skin irritation should not occur when used as recommended. May cause defatting

of the skin but is not an irritant.

Eye contact May cause eye irritation.

Acute and chronic health

hazards

There is no evidence that the product can cause cancer.

1,1,1,3,3-PENTAFLUOROBUTANE

Acute toxicity - oral

Acute toxicity oral (LD50

mg/kg)

2,000.0

Species Rat

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

ATE oral (mg/kg) 2,000.0

Acute toxicity - inhalation

100,000.0 Acute toxicity inhalation

(LC50 vapours mg/l)

Species Rat

ATE inhalation (vapours

mg/l)

Specific target organ toxicity - single exposure

STOT - single exposure LOAEL 75100 ppm, Inhalation,

100,000.0

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEC 6 mg/l, Inhalation, Rat

Target organs Liver Kidneys

METHANOL

Acute toxicity - oral

Notes (oral LD₅₀) Acute Tox. 3 - H301 Toxic if swallowed.

ATE oral (mg/kg) 100.0

Acute toxicity - dermal

Acute Tox. 3 - H311 Toxic in contact with skin. Notes (dermal LD₅₀)

ATE dermal (mg/kg) 300.0

Acute toxicity - inhalation

Acute Tox. 3 - H331 Toxic if inhaled. Notes (inhalation LC₅₀)

ATE inhalation (vapours

mg/l)

3.0

0.5

ATE inhalation

(dusts/mists mg/l)

Skin corrosion/irritation

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye

Based on available data the classification criteria are not met.

damage/irritation

Respiratory sensitization

Respiratory sensitization Based on available data the classification criteria are not met.

Skin sensitization

Skin sensitization Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

IARC carcinogenicityNone of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity -

fertility

Based on available data the classification criteria are not met.

Reproductive toxicity -

development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure STOT SE 1 - H370 Causes damage to organs.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information The severity of the symptoms described will vary dependent on the concentration

and the length of exposure.

Inhalation A single exposure may cause the following adverse effects: Drowsiness, dizziness,

disorientation, vertigo. Unconsciousness. High concentrations may be fatal.

Ingestion May cause stomach pain or vomiting. May cause severe internal injury.

Skin contact A single exposure may cause the following adverse effects: Pain.

Eye contact No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

Target organs No specific target organs known.

12. Ecological information

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Ecotoxicity Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

1,1,1,2,2,3,4,5,5,5-decafluoropentane

Ecotoxicity It is unlikely that the substance will dissolve in water in amounts big enough to have

a toxic effect on fish and daphnies.

METHANOL

Ecotoxicity Not regarded as dangerous for the environment. However, large or frequent spills

may have hazardous effects on the environment.

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Acute aquatic toxicity

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Acute toxicity - fish LC₅₀, 96 hours: 135 mg/l, Fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 220 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

LC₅₀, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

life stage

Chronic toxicity - fish early NOEC, 48 hours: 110,000 mg/l, Daphnia magna

1,1,1,2,2,3,4,5,5,5-decafluoropentane

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 13.9 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic

invertebrates

LC₅₀, 48 hours: 11.7 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

EC₅₀, 72 hours: >120 mg/l, Algae

METHANOL

Toxicity Based on available data the classification criteria are not met.

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic

invertebrates

EC₅o, 48 hours: >10000 mg/l, Daphnia magna

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Biodegradation Not readily biodegradable.

Method: OECD Test Guideline 301D

METHANOL

Persistence and

degradability

The degradability of the product is not known.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of

this product.

Partition coefficient log Pow: 2.06

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

1,1,1,2,2,3,4,5,5,5-decafluoropentane

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of

this product.

Partition coefficient Pow: 2.7

METHANOL

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient : -0.77

Mobility in soil

Mobility No data available.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Mobility The product has poor water-solubility.

METHANOL

Mobility No data available.

Other adverse effects

Other adverse effects None known.

Ecological information on ingredients

METHANOL

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information The generation of waste should be minimized or avoided wherever possible. Reuse or recycle

products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product

residues and hence be potentially hazardous.

Disposal methods Do not empty into drains.

14. Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, TDG).

UN number

UN No. (International) Not applicable.
UN No. (DOT) Not applicable.

UN proper shipping name

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Proper shipping name

(International)

Not applicable.

Proper shipping name (DOT) Not applicable.

Transport hazard class(es)

Transport Labels (International)

No transport warning sign required.

DOT transport label

Packing group

Packing group (International) Not applicable. DOT packing group Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

DOT reportable quantity Not applicable. **DOT TIH Zone** Not applicable.

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78

and the IBC Code

15. Regulatory information

Inventories

Canada - DSL/NDSL

All the ingredients are listed or exempt.

16. Other information

Classification abbreviations

STOT SE = Specific target organ toxicity-single exposure

and acronyms

Aquatic Chronic = Hazardous to the aquatic environment (chronic)

Training advice Only trained personnel should use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Revision date 2021-05-21

Revision 33

Supersedes date 2021-05-21 SDS number **BULK-FRC** SDS status Approved.

WHMIS (1988) D2 Matières ayant d'autres effets toxiques.

FRC - GENERAL PURPOSE FLUX REMOVER - FLUX REMOVER C, BULK

Hazard statements in full H225 Highly flammable liquid and vapour.

H301 Toxic if swallowed.

H311 Toxic in contact with skin. H319 Causes serious eye irritation.

H331 Toxic if inhaled. H332 Harmful if inhaled.

H336 May cause drowsiness or dizziness.

H360 May damage fertility or the unborn child.

H370 Causes damage to organs.

H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.