



SAFETY DATA SHEET

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

According to the Occupational Safety and Health (Classification, Labelling and Safety Data Sheet of Hazardous Chemicals) Regulations 2013, as amended.

SECTION 1: identification of the hazardous chemical and of the supplier

Product identifier

Product name	DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK
Product number	MCC-DC1L, MCC-DC1G, MCC-DC1P, MCC-DC1D, MCC-DC1GL, MCC-DC1GG
Synonyms; trade names	DC1-VERICLEAN FLUX REMOVER, NON AEROSOL

Recommended use of the substance or mixture and restrictions on use

Identified uses	Cleaning agent.
------------------------	-----------------

Details of the supplier of the safety data sheet

Supplier	MICROCARE ASIA PTE LTD 102E, Pasir Panjang Road, Citilink, #05-06, Singapore 118529 Phone (65)6271.0182 techsupport@microcare.sg
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: +1 800-638-0125, +1 860-827-0626 techsupport@microcare.com

Emergency telephone number

Emergency telephone	INFOTRAC +65 3163 5349 (SINGAPORE) 1-352-323-3500 (from anywhere in the world)
----------------------------	---

SECTION 2: Hazard identification

Classification of the substance or mixture

Classification

Physical hazards	Flam. Liq. 2 - H225
Health hazards	Not Classified
Environmental hazards	Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411
Human health	Splashes in the eyes may cause redness and irritation. Keep out of the reach of children. See Section 11 for additional information on health hazards.
Physicochemical	The product is highly flammable. Vapours may form explosive mixtures with air.

Label elements

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK**Pictogram****Signal word**

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H400 Very toxic to aquatic life.

Precautionary statements

P210 Keep away from heat/ sparks/ open flames /hot surfaces – No smoking.
 P240 Ground/ bond container and receiving equipment.
 P242 Use only non-sparking tools.
 P243 Take precautionary measures against static discharge.
 P273 Avoid release to the environment.
 P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

Supplemental label information

Safety data sheet available on request. For use in industrial installations only.

Supplementary precautionary statements

P201 Obtain special instructions before use.
 P202 Do not handle until all safety precautions have been read and understood.
 P233 Keep container tightly closed.
 P241 Use explosion-proof electrical equipment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P303+P361+P353 IF ON SKIN (or hair): Remove/ take off immediately all contaminated clothing. Rinse skin with water/ shower.
 P308+P313 IF exposed or concerned: Get medical advice/attention.
 P391 Collect spillage.
 P403+P235 Store in a well-ventilated place. Keep cool.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

This product does not contain any substances classified as PBT or vPvB (persistent, bioaccumulative and toxic, or very persistent and very bioaccumulative).

SECTION 3: Composition and information of the ingredients of the hazardous chemical**Mixtures**

HEXAMETHYLDISILOXANE (Methyl siloxane)	60-100%
CAS number: 107-46-0	
M factor (acute) = 1	
Classification	
Flam. Liq. 2 - H225	
Aquatic Acute 1 - H400	
Aquatic Chronic 2 - H411	

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

1-METHOXY-2-PROPANOL	10-30%
CAS number: 107-98-2	
Classification	
Flam. Liq. 3 - H226	
STOT SE 3 - H336	

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

Composition

SECTION 4: First-aid measures

Description of first aid measures

General information	Promptly remove any clothing that becomes wet or contaminated. Move affected person to fresh air at once. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Keep affected person warm and at rest. Get medical attention immediately.
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Never give anything by mouth to an unconscious person. Consult a physician for specific advice.
Skin contact	Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
----------------------------	---

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media	Extinguish with the following media: Powder. Dry chemicals, sand, dolomite etc. Water spray, fog or mist.
-------------------------------------	---

Special hazards arising from the substance or mixture

Specific hazards	The product is flammable. Heating may generate flammable vapours. Oxides of carbon. Protection against nuisance dust must be used when the airborne concentration exceeds 10 mg/m ³ .
-------------------------	--

Advice for fire-fighters

Protective actions during firefighting	Containers close to fire should be removed or cooled with water. Use water to keep fire exposed containers cool and disperse vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Personal precautions, protective equipment and emergency procedures

Personal precautions Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses.

Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Never use water by itself on spillage; this will spread the spill and cause further contamination.

Methods and material for containment and cleaning up

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. If leakage cannot be stopped, evacuate area. Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

Reference to other sections

SECTION 7: Handling and storage

Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level. Keep out of the reach of children.

Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.

Reference to other sections. Store away from incompatible materials (see Section 10).

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

1-METHOXY-2-PROPANOL

Eight-hour time-weighted average: PEL 100 ppm 369 mg/m³

Permissible exposure limit (PEL)

Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible.

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Do not smoke in work area. Wash at the end of each work shift and before eating, smoking and using the toilet. Promptly remove any clothing that becomes wet or contaminated. When using do not eat, drink or smoke.
Respiratory protection	No specific recommendations. Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties**Information on basic physical and chemical properties**

Appearance	Liquid.
Colour	Clear liquid. Colourless.
Odour	Slight. Ether.
Odour threshold	No information available.
pH	No information available.
Melting point	No information available.
Initial boiling point and range	98°C/210°F @ 101.3 kPa
Flash point	-4.0°C/25°F Method: Tag closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Upper flammable/explosive limit: 18.6 %(V) Lower flammable/explosive limit: 1.25 %(V)
Vapour pressure	5.95 kPa @ 20°C
Vapour density	> 1.0
Relative density	No information available.
Bulk density	No information available.
Solubility(ies)	Insoluble in water.
Partition coefficient	No information available.
Auto-ignition temperature	365°C/689°F
Decomposition temperature	No information available.
Viscosity	No information available.
Explosive properties	No information available.
Global Warming Potential (GWP)	
Surface tension	
Refractive index	No information available.
Particle size	Not applicable.

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

Molecular weight	Not applicable.
Volatility	100%
Saturation concentration	No information available.
Critical temperature	No information available.
Volatile organic compound	This product contains a maximum VOC content of 87 g/litre.
Heat of vaporization (at boiling point), cal/g (Btu/lb)	

SECTION 10: Stability and reactivity

Reactivity	There are no known reactivity hazards associated with this product.
Stability	Stable at normal ambient temperatures.
Possibility of hazardous reactions	Will not polymerise.
Conditions to avoid	Avoid heat, flames and other sources of ignition. Avoid contact with the following materials: Strong oxidising agents. Strong alkalis. Strong mineral acids.
Materials to avoid	Strong oxidising agents.
Hazardous decomposition products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Vapours/gases/fumes of: Silicon dioxide Formaldehyde

SECTION 11: Toxicological information

Information on toxicological effects

Other health effects	There is no evidence that the product can cause cancer.
Inhalation	May cause respiratory system irritation. Vapours may cause headache, fatigue, dizziness and nausea. Prolonged inhalation of high concentrations may damage respiratory system.
Ingestion	No harmful effects expected from quantities likely to be ingested by accident.
Skin contact	Product has a defatting effect on skin. May cause skin irritation/eczema.
Eye contact	Irritating to eyes.

Toxicological information on ingredients

HEXAMETHYLDISILOXANE (Methyl siloxane)

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 106.0

Species Rat

SECTION 12: Ecological Information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK**HEXAMETHYLDISILOXANE (Methyl siloxane)**

Toxicity	Very toxic to aquatic organisms.
<u>Acute aquatic toxicity</u>	
L(E)C₅₀	0.1 < L(E)C ₅₀ ≤ 1
M factor (acute)	1
Acute toxicity - fish	LC ₅₀ , 96 hours: 0.46 mg/l mg/l, Fish
Acute toxicity - aquatic invertebrates	EC ₅₀ , 72 hours: 0.79 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: > 0.93 mg/l, Selenastrum capricornutum

Persistence and degradability

Persistence and degradability There are no data on the degradability of this product.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient No information available.

Mobility in soil

Mobility The product contains volatile substances which may spread in the atmosphere.

Other adverse effects

Other adverse effects Not available.

SECTION 13: Disposal information**Waste treatment methods**

General information Waste is classified as hazardous waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

SECTION 14: Transportation information**UN number**

UN No. (Road/Rail) UN1993

UN No. (IMDG) UN1993

UN No. (ICAO) UN1993

UN proper shipping name

Proper shipping name (IMDG) UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

Proper shipping name (ICAO) UN1993, FLAMMABLE LIQUID, N.O.S.(Hexamethyldisiloxane), 3, PGII

Transport hazard class(es)

Road/Rail class 3

IMDG class 3

DC1 - NO-CLEAN FLUX REMOVER, VERICLEAN - BULK

ICAO class/division 3

Packing group

Road/Rail packing group II

IMDG packing group II

ICAO packing group II

Environmental hazards**Environmentally hazardous substance/marine pollutant****Special precautions for user**

EmS F-E, S-E

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information**Safety, health and environmental regulations specific for the substance or mixture****Inventories**

US - TSCA

Yes

SECTION 16: Other information

Revision date 1/6/2021

Revision 39

Supersedes date 13/3/2020

SDS number BULK - DC1

SDS status Approved.

Hazard statements in full H225 Highly flammable liquid and vapour.
 H226 Flammable liquid and vapour.
 H336 May cause drowsiness or dizziness.
 H400 Very toxic to aquatic life.
 H411 Toxic to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.