


MATERIAL SAFETY DATA SHEET

1. Product and Company Identification

Product Name Contact Cleaner C; MCC-CCCG, MCC-CCCP, MCC-CCCD, MCC-CCCS
CAS # Mixture
Product Use Circuit Board Cleaner
Manufacturer Micro Care Corporation
595 John Downey Drive
New Britain, CT 06051 US
Phone: 1-860-827-0626
Emergency Phone: 1-860-827-0626

LEGEND HMIS/NFPA	
Severe	4
Serious	3
Moderate	2
Slight	1
Minimal	0

Health	/ 1
Flammability	0
Physical Hazard	0
Personal Protection	B



2. Hazards Identification

Emergency Overview CAUTION
EYE AND SKIN IRRITANT.

Potential short term health effects

Routes of exposure Eye, Skin contact, Inhalation, Ingestion.

Eyes May cause irritation.

Skin May cause irritation.

Inhalation May cause respiratory tract irritation.

Ingestion Harmful if swallowed. May cause stomach distress, nausea or vomiting.

Target organs Eyes. Respiratory system. Skin.

Chronic effects Prolonged or repeated exposure can cause drying, defatting and dermatitis.

Signs and symptoms Symptoms may include redness, oedema, drying, defatting and cracking of the skin. Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting.

3. Composition/Information on Ingredients

Ingredient(s)	CAS #	Percent
Acetone	67-64-1	3 - 7
Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-	138495-42-8	30 - 60
Butane, 1,1,1,3,3-pentafluoro-	406-58-6	30 - 60

4. First Aid Measures

First aid procedures

Eye contact Flush with cool water. Remove contact lenses, if applicable, and continue flushing. Obtain medical attention if irritation persists.

Skin contact Flush with cool water. Wash with soap and water. Obtain medical attention if irritation persists.

Inhalation If symptoms develop move victim to fresh air. If symptoms persist, obtain medical attention.

Ingestion Do not induce vomiting. Rinse mouth with water, then drink one or two glasses of water. Obtain medical attention. Never give anything by mouth if victim is unconscious, or is convulsing.

Notes to physician Symptoms may be delayed.

General advice If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting Measures

Flammable properties	Not flammable by WHMIS criteria.
Extinguishing media	
Suitable extinguishing media	Dry chemical, CO2, water spray or regular foam.
Unsuitable extinguishing media	Not available
Protection of firefighters	
Specific hazards arising from the chemical	Not available
Protective equipment for firefighters	Firefighters should wear full protective clothing including self contained breathing apparatus.
Hazardous combustion products	May include and are not limited to: Oxides of carbon. Fluoride gases.
Explosion data	
Sensitivity to mechanical impact	Not available
Sensitivity to static discharge	Not available

6. Accidental Release Measures

Personal precautions	Keep unnecessary personnel away. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Keep people away from and upwind of spill/leak.
Methods for containment	Stop leak if you can do so without risk. Prevent entry into waterways, sewers, basements or confined areas.
Methods for cleaning up	Before attempting clean up, refer to hazard data given above. Small spills may be absorbed with non-reactive absorbent and placed in suitable, covered, labelled containers. Prevent large spills from entering sewers or waterways. Contact emergency services and supplier for advice.

7. Handling and Storage

Handling	Use good industrial hygiene practices in handling this material.
Storage	Keep out of reach of children. Store in a closed container away from incompatible materials.

8. Exposure Controls / Personal Protection

Exposure limits	
Ingredient(s)	Exposure limits
Acetone	ACGIH-TLV TWA: 500 ppm STEL: 750 ppm
Butane, 1,1,1,3,3-pentafluoro-	ACGIH-TLV Not established
Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-	ACGIH-TLV Not established
Engineering controls	General ventilation normally adequate.
Personal protective equipment	
Eye/Face protection	Safety glasses
Hand protection	Rubber gloves. Confirm with a reputable supplier first.
Skin and body protection	As required by employer code.
Respiratory protection	Not normally required if good ventilation is maintained and exposure guidelines are not exceeded. Where exposure guideline levels may be exceeded, use an approved NIOSH respirator.
General hygiene considerations	Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. Wash hands before breaks and immediately after handling the product.

9. Physical & Chemical Properties

Appearance	Clear.
Colour	Colourless
Form	Liquid
Odour	Slight ethereal
Odour threshold	Not available
Physical state	Liquid
pH	6.9
Freezing point	-50 °C (-58.00 °F)
Boiling point	44 °C (111.20 °F)
Flash point	Not available
Evaporation Rate	Not available
Flammability limits in air, lower, % by volume	5.5
Flammability Limits in Air, Upper, % by Volume	9
Vapour pressure	47 @20°C
Vapour density	4
Specific gravity	1.41 (H2O = 1)
Octanol/water coefficient	Not available
Solubility (H2O)	Partially soluble
Auto-ignition temperature	Not available
Viscosity	0.59 cPs
Percent volatile	100 %

10. Chemical Stability & Reactivity Information

Chemical stability	Stable under recommended storage conditions.
Conditions to avoid	Extremes of temperature and direct sunlight. Do not mix with other chemicals.
Incompatible materials	Caustics. Reducing agents.
Hazardous decomposition products	May include and are not limited to: Oxides of carbon. Fluoride gases.
Possibility of hazardous reactions	Hazardous polymerisation does not occur.

11. Toxicological Information

Component analysis - LC50

Ingredient(s)	LC50
Acetone	> 16000 mg/m3 rat
Butane, 1,1,1,3,3-pentafluoro-	Not available
Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-	11100 ppm rat; 11100 mg/l/4h rat

Component analysis - Oral LD50

Ingredient(s)	LD50
Acetone	5800 mg/kg rat
Butane, 1,1,1,3,3-pentafluoro-	2000 mg/kg rat
Pentane, 1,1,1,2,2,3,4,5,5,5-decafluoro-	> 5000 ppm rat

Effects of acute exposure

Eye	May cause irritation.
Skin	May cause irritation.
Inhalation	May cause respiratory tract irritation.
Ingestion	Harmful if swallowed. May cause stomach distress, nausea or vomiting.
Sensitisation	Non-hazardous by WHMIS criteria.
Chronic effects	Non-hazardous by WHMIS criteria.

Carcinogenicity	Non-hazardous by WHMIS criteria.
ACGIH - Threshold Limits Values - Carcinogens	
Acetone	67-64-1 A4 - Not Classifiable as a Human Carcinogen
Mutagenicity	Non-hazardous by WHMIS criteria.
Reproductive effects	Non-hazardous by WHMIS criteria.
Teratogenicity	Non-hazardous by WHMIS criteria.

12. Ecological Information

Ecotoxicity effects	Components of this product have been identified as having potential environmental concerns.
Environmental effects	Not available
Aquatic toxicity	Not available
Persistence and degradability	Not available
Bioaccumulation/accumulation	Not available
Partition coefficient	Not available
Mobility in environmental media	Not available
Chemical fate information	Not available

13. Disposal Considerations

Waste codes	Not available
Disposal instructions	Review federal, provincial, and local government requirements prior to disposal.
Waste from residues / unused products	Not available
Contaminated packaging	Not available

14. Transport Information

Transportation of Dangerous Goods (TDG)

Not regulated as dangerous goods.

15. Regulatory Information

Canadian federal regulations	This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all the information required by the Controlled Products Regulations.	
WHMIS classification	Class D - Division 2B	
WHMIS status	Controlled	
WHMIS labeling		



Inventory Status

Country(s) or region	Inventory Name	On Inventory (Yes/No)*
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	Yes

16. Other Information

Disclaimer	Information contained herein was obtained from sources considered technically accurate and reliable. While every effort has been made to ensure full disclosure of product hazards, in some cases data is not available and is so stated. Since conditions of actual product use are beyond control of the supplier, it is assumed that users of this material have been fully trained according to the requirements of all applicable legislation and regulatory instruments. No warranty, expressed or implied, is made and supplier will not be liable for any losses, injuries or consequential damages which may result from the use of or reliance on any information contained in this document.
Issue date	17-Jul-2006
Effective Date	01-Jul-2006

Expiry Date
Prepared by

01-Jul-2009
Dell Tech Laboratories Ltd. (519) 858-5021