

Herry Duty Fuck Remover SuppOlar









ELECTRONICS ASSEMBLY

Products for Faster, Safer and More Consistent Cleaning



Discover Perfectly Clean

TABLE OF CONTENTS

PCB Cleaner Selection Guide	3
Flux Removers	4-9
TriggerGrip™ Cleaning System	10-11
Presaturated Wipes & Refills	12-13
Maintenance Cleaners	14-15
Stencil / Equipment Cleaning & Lint-Free Wipes	16-17
Contact Cleaner & Circuit Chillers	18
Dust Removers	19

WE MAKE CRITICAL CLEANING EASIER!

MicroCare is the industry leader with more than 35 years of experience in providing you with safe, cost-effective and compliant cleaning fluids for electronic components and PCBs (printed circuit boards).





BULK PACKAGING

PRODUCTS ARE AVAILABLE IN A VARIETY OF SIZES TO MEET YOUR SPECIFIC NEEDS.







ON-SITE IN-LAB CLEANING AUDITS CLEANING TRIALS

> DETAILED CLEANING RECOMMENDATIONS

CONTACT US FOR MORE INFO!



For more information and to download SDS or technical data sheets, visit our website **MicroCare.com**





Compare our best selling electronics cleaners on two important characteristics:

SAFETY & CLEANING STRENGTH

NONFLAMMABLE Flux Removers

FOR BETTER SAFETY



FLUX REMOVER	BEST ON	CLEANING STRENGTH (KB)	PLASTIC SAFE	TRIGGER- GRIP™ COMPATIBLE	ODOR	DRYING SPEED	VOC CONTENT
General Purpose Flux Remover C MCC-FRC (pg. 4)	No-Clean / Rosin / Water Soluble	25 (Medium)	Test	\checkmark	Low	Fast	590 g/L
Universal MCC-UFR10A (pg. 6)	Rosin	34 (Medium)	Test	\checkmark	Slight	Fast	59 g/L
SuprClean [™] Heavy Duty MCC-SPR (pg. 8)	Rosin	110 (Very Strong)	Not Likely	V	Low	Fast	1,080 g/L
PowerClean [™] Lead-Free MCC-PW210A (pg. 8)	Lead-Free	115 (Very Strong)	Not Likely	\checkmark	Low	Fast	747 g/L

FLAMMABLE Flux Removers



FOR LOWER COST

FLUX REMOVER	BEST ON	CLEANING STRENGTH (KB)	PLASTIC SAFE	TRIGGER- GRIP™ COMPATIBLE	ODOR	DRYING SPEED	VOC CONTENT
VeriClean[™] No-Clean MCC-DC1 (pg. 5)	No-Clean	18 (Mild)	Yes	\checkmark	Slight	Fast	87 g/L
IsoClean [™] IPA-Based MCC-BAC (pg. 5)	No-Clean / Rosin / Water Soluble	20 (Mild)	Yes	\checkmark	Alcohol	Medium	785 g/L
ProClean [™] Alcohol-Enhanced MCC-PRO (pg. 7)	No-Clean / Rosin / Water Soluble	45 (Medium)	Yes	V	Alcohol	Slow	785 g/L
UltraClean[™] VOC-Free MCC-VOC10A (pg. 7)	No-Clean / Lead-Free	56 (Strong)	Test	\checkmark	Low	Medium	0 g/L
Slow Drying Citrus-Based MCC-EC7M (pg. 9)	No-Clean / Rosin / Water Soluble	67 (Strong)	Not Likely	V	Citrus	Slow	840 g/L
Polar MCC-PFR10A (pg. 7)	No-Clean / Rosin	72 (Strong)	Test	J	Acetone	Slow	184 g/L

3

パル FLUX REMOVERS



See pages to a TI

General Purpose Flux Remover - Flux Remover C

SUPERIOR RESULTS ON NO-CLEAN AND ROSIN FLUXES

- Recommended as a general-purpose PCB cleaner
- Nonflammable for better safety
- Medium strength, fast-drying, low odor
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFC Blend | Cleaning Strength (Kb): 25 | Nonflammable Evaporation: Fast | VOC Content (g/L): 590 | ROHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-FRC	10.5 oz 214 mL	.66 lbs <mark> </mark> 300 g
Minipail	MCC-FRCG	1 Gallon I 3.79 L	10 lbs 4.54 kg
Pail	MCC-FRCP	5 Gallon 18.93 L	50 lbs <mark> </mark> 22.68 kg
Drum	MCC-FRCD	55 Gallon 208.2 L	500 lbs 226.8 kg



IPA-Based Flux Remover - IsoClean™

IDEAL FOR WATER-BASED, ROSIN AND NO-CLEAN FLUXES

- Use for general cleaning of stencils, PCBs and workbenches
- Economical choice
- 99.8% Isopropyl alcohol for more consistent cleaning
- Mild strength, medium-drying, mild alcohol odor
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Alcohol | Cleaning Strength (Kb Value): 20 Flammable | Evaporation: Medium | VOC Content (g/L): 785 RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-BAC	12 oz 355 mL	.75 lbs <mark> </mark> 340 g
Plastic Bottle	MCC-BACJG	1 Gallon 3.79 L	6 lbs 2.72 kg
Cube Container	MCC-BACG	1 Gallon I 3.79 L	6 lbs 2.72 kg
Cube Container	MCC-BACP	5 Gallon 18.93 L	32 lbs 14.52 kg

Also available in: Presaturated Wipes Strong & Lint-Free PN# MCC-BACW

PRO TIP!

JUMBO SIZE:

15-20% saving

per ounce!

PN# MCC-BACW Page 13





No-Clean Flux Remover - VeriClean™

THE ECONOMICAL CHOICE FOR NO-CLEAN FLUXES AND PASTES

- Also removes hard-to-clean silicones (oils, coatings, greases, adhesives)
- Excellent toxicity rating makes it safe for workers
- Mild strength, fast drying, low odor
- TriggerGrip™ cleaning system compatible

Technical Details

Chemical Family: Methyl Siloxanes | Cleaning Strength (Kb): 18 (Est.) Flammable | Evaporation: Fast | VOC Content (g/L): 87 RoHS/WEEE/REACH/EPA SNAP Compliant | NSN: 6850-01-447-4799

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Pen	MCC-DC1PEN	.5 oz I 10 mL	.02 lbs <mark> </mark> 8 g
Aerosol	MCC-DC1	10 oz 295 mL	.61 lbs <mark> </mark> 284 g
Aerosol	MCC-DC115A	15 oz 443 mL	.9 lbs <mark> </mark> 425 g
Minipail	MCC-DC1G	1 Gallon I 3.79 L 6 lbs I 2.	
Pail	MCC-DC1P	5 Gallon 18.93 L	32 lbs 14.52 kg
Drum	MCC-DC1D	55 Gallon 208.2 L	330 lbs 149.69 kg





Cleaning pen delivers quick, controlled, spot-on cleaning (see pg. 9) Part Number: MCC-DC1PEN



Universal Flux Remover

EXCELLENT FOR NO-CLEAN AND ROSIN FLUX RESIDUE

- Also removes oils, grease, fingerprints and silicone
- Nonflammable for better safety
- Low VOCs, low global warming
- Medium strength, fast drying
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFO | Cleaning Strength (Kb): 34 | Nonflammable | Evaporation: Fast VOC Content (g/L): 59 | ROHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-UFR10A	10.5 oz 295 mL	.66 lbs 300 g



Polar Flux Remover

IDEAL FOR REMOVING HEAVY/AGE-HARDENED ROSIN, RA & RMA FLUXES

- Cleans heavy, aged flux
- Removes polar & ionic activators
- Fast, extra-strength cleaning
- High purity, dries residue-free
- Excellent silicone remover
- TriggerGrip[™] cleaning system compatible

BEST

SELLER



Technical Details

Chemical Family: Organic Solvents | Cleaning Strength (Kb): 72 | Flammable Evaporation: Slow | VOC Content (g/L): 184 | RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-PFR10A	10.5 oz 295 mL	.66 lbs <mark> </mark> 300 g



Cleaning pen delivers quick, controlled, spot-on cleaning (see pg. 9) Part Number: MCC-RMAPEN







VOC-Free Flux Remover - UltraClean™

HIGHLY-EFFECTIVE ON NO-CLEAN AND ROSIN FLUXES

- Also removes hard-to-clean silicones (oils, coatings, greases, adhesives)
- No chlorine, no halogens, no VOCs, and a very low GWP
- Economical choice
- Strong cleaning, medium drying
- Offers current and long-term regulatory compliance
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Siloxanes | Cleaning Strength (Kb): 56 | Flammable Evaporation: Medium | VOC Content (g/L): 0 | RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-VOC10A	10 oz 295 mL	.62 lbs 284 g
Minipail	MCC-VOCG	1 Gallon 3.79 L	6 lbs 2.72 kg
Pail	MCC-VOCP	5 Gallon 18.93 L	32 lbs 14.52 kg
Drum	MCC-VOCD	55 Gallon 208.2 L	330 lbs 149.69 kg

Alcohol-Enhanced Flux Remover - ProClean[™]



- A blend of alcohols delivers better cleaning than straight isopropyl alcohol
- · Use on solder pastes, fluxes and fresh chip bonder
- Economical choice
- Medium strength, slow-drying, alcohol odor
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Alcohol | Cleaning Strength (Kb): 45 (Est.) Flammable | Evaporation: Slow | VOC Content (g/L): 785 RoHS/WEEE/REACH/EPA SNAP Compliant | NSN: 6850-01-361-0867

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Pen	MCC-PROPEN	.5 oz 10 mL	.02 lbs 8 g
Aerosol	MCC-PRO	12 oz <mark> </mark> 355 mL	.75 lbs 340 g
Aerosol	MCC-PRO16A	16 oz I 473 mL	1 lbs 454 g
Cube Container	MCC-PROG	1 Gallon 3.79 L	6 lbs 2.72 kg
Cube Container	MCC-PROP	5 Gallon 18.93 L	32 lbs 14.52 kg
Drum	MCC-PROD	55 Gallon 208.2 L	355 lbs 161.03 kg



BEST

SELLER



Water Soluble Flux Remover Pen



Cleaning pen delivers quick, controlled, spot-on cleaning (see pg. 9)

Also available in:

PN# MCC-PROW

Page 13

Presaturated Wipes Strong & Lint-Free

Part Number: MCC-PROPEN



Lead-Free Flux Remover - PowerClean™

IDEAL FOR CLEANING LEAD-FREE FLUXES, PASTES, OILS AND INKS

- Removes white residue commonly found with lead-free fluxes
- Nonflammable for added safety
- Very strong cleaning, fast drying, low odor
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: HFC Blend | Cleaning Strength (Kb): 115 | Nonflammable | Evaporation: Fast VOC Content (g/L): Aerosol 747; Bulk 1017 | RoHS/WEEE/REACH/EPA SNAP Compliant NSN: 6850-01-361-0867

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-PW210A	10.5 oz 295 mL	.66 lbs 300 g
Minipail	MCC-PW2G	1 Gallon 3.79 L	6 lbs 2.72 kg
Pail	MCC-PW2P	5 Gallon 18.93 L	50 lbs 22.7 kg
Drum	MCC-PW2D	55 Gallon 208.2 L	500 lbs 226.8 kg



Heavy Duty Flux Remover - SuprClean™

REMOVES BAKED-ON FLUXES, PASTES AND ELECTRONIC GREASES

- Recommended for cleaning high-temp rosin, RA and RMA fluxes and acrylic conformal coatings
- Nonflammable for added safety
- · Great choice for mil-spec PCBs, cables and connector cleaning
- Very strong cleaning, fast drying, low odor
- TriggerGrip[™] cleaning system compatible

Technical Details

PACKAGING

Aerosol

Aerosol

Minipail

Pail

Drum

Chemical Family: HFC Blend | Cleaning Strength (Kb): 110 Nonflammable | Evaporation: Fast | VOC Content (g/L): 1080 RoHS/WEEE/REACH/EPA SNAP Compliant

PART NUMBER

MCC-SPR

MCC-SPR19A

MCC-SPRG

MCC-SPRP

MCC-SPRD

PRO TIP!

BEST

JUMBO SIZE: 15-20% saving per ounce!

WEIGHT

.75 lbs | 340 g

1.2 lbs | 540 g

10 lbs | 4.54 kg

50 lbs | 22.68 kg

500 lbs | 226.8 kg





HEAVY DUTY ROSIN FLUX REMOVER SUPRCLEAN[™] has a low viscosity and low surface tension, making it perfect for reworking today's tight-fitting components, including BGA chips. It gets under components, dissolves flux residue and rinses it away.

Aerosol Cans are compatible with: **TriggerGrip™ Cleaning Tool** see page 10 &11 **StatZAP™ ESD Eliminator Tool** see page 18

VOLUME

12 oz | 355 mL

19 oz | 561 mL

1 Gallon | 3.79 L

5 Gallon | 18.93 L

55 Gallon | 208.2 L





The Industry's BEST FLUX REMOVERS in convenient cleaning pens



IDEAL FOR SPOT-CLEANING NO-CLEAN FLUXES ON PCBS

- Best on no-clean fluxes, silicone oils, coatings, grease, adhesives and inks
- Mild cleaner with a low odor and fast drying time



MAKES TOUCH-UP CLEANING OF OA FLUXES FAST AND EASY

- Cleans rosin, water based and no-clean fluxes and fresh chip bonder
- Medium strength cleaner with an alcohol odor and slow drying time



REMOVES THE TOUGHEST, HEAVY AGED & BURNED-ON SOLDER PASTES

- Good at removing polar and ionic activators in rosin, RA and RMA fluxes
- Strong cleaner with an acetone odor and a slow drying time

DESCRIPTION	PART NUMBER	VOLUME	WEIGHT
No Clean Flux Remover Cleaning Pen	MCC-DC1PEN	.5 oz 10 mL	.02 lbs 8 g
Water Soluble Flux Remover Cleaning Pen	MCC-PROPEN	.5 oz 10 mL	.02 lbs 8 g
RMA Flux Remover Cleaning Pen	MCC-RMAPEN	.5 oz 10 mL	.02 lbs 8 g

Slow-Drying Flux Remover - Citrus-Based

EXCELLENT FOR REMOVING FLUXES, STENCIL PASTES, ADHESIVES AND INKS

- · Citrus-based cleaner is natural and biodegradable
- Slow drying time helps when cleaning stubborn fluxes
- Economical choice
- Strong cleaning, with an orange scent
- TriggerGrip[™] cleaning system compatible

Technical Details

Chemical Family: Terpene Hydrocarbon | Cleaning Strength (Kb Value): 67 | Flammable | Evaporation: Slow VOC Content (g/L): 840 | RoHS/WEEE/REACH/EPA SNAP Compliant | NSN: 6850-01-549-3821

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-EC7M	10 oz 295 mL	.62 lbs <mark> </mark> 284 g
Minipail	MCC-EC7MG	1 Gallon 3.79 L	6 lbs <mark> </mark> 2.72 kg
Pail	MCC-EC7MP	5 Gallon 18.93 L	35 lbs 15.87 kg
Drum	MCC-EC7MD	55 Gallon 208.2 L	390 lbs 176.9 kg





Circuit Board Cleaning Station Kit

EVERYTHING YOU NEED FOR EFFECTIVE PCB CLEANING ON THE BENCHTOP

This kit replaces other improvised, ineffective cleaning methods that waste solvent and expose workers to fumes.

- TriggerGrip[™] Dispensing Tool controls the fluid flow to reduce consumption by 66%
- Strong and fast-drying SuprClean™ cleaning fluid cleans boards thoroughly
- · Lint-free wipes dry boards without leaving fuzz behind
- Bench mounting bracket safely keeps cleaning fluid handy and ready-to-use

KIT CONTAINS:

- 1 TriggerGrip[™] Dispensing Tool MCC-ESD
- 1 12 oz Can Heavy Duty Flux Remover SuprClean[™] MCC-SPR
- 2 50 pack of 4" x 4" High Performance Lint-Free Wipes MCC-WF44
- 1 Bench Mounting Kit MCC-BK3

DESCRIPTION	PART NUMBER	PACKAGING
Circuit Board Cleaning Station with Heavy Duty Flux Remover - SuprClean™	MCC-CBCSK	1 Kit/Box 10 Boxes/Case



🎽 TriggerGrip™ Cleaning System is Easy - USE LESS, SAVE MORE



CONNECT

- Pop the tamper-proof seal off the top of the can
- Connect the TriggerGrip™ cleaning tool to the aerosol



WET & SCRUB

- Hold the PCB board at a slight angle
- Spray a small amount of the cleaning fluid
- Gently scrub residues
- Spray again if needed



RINSE & DRY

- Once the residue is loosened, lift the brush off the board and spray a small amount of the cleaning fluid to rinse
- Use a lint-free wipe or dust remover, if desired to dry



TriggerGrip[™] Dispensing Tool

MAKES HIGH-QUALITY BENCHTOP CLEANING FAST, EASY AND MORE AFFORDABLE

The unique TriggerGrip[™] PCB cleaning tool fits onto most MicroCare aerosol cans. It improves benchtop cleaning results, improves worker productivity, reduces waste, protects the environment, enhances worker safety and cuts production costs.

- Fresh, pure fluid cleans and rinses away contaminants
- Scrubbing brush gets into tight spaces
- Slashes solvent use by 66% targets dirty areas and eliminates overspray
- Minimizes cleaning fluid odor
- Empties the can completely no waste





DESCRIPTION	PART NUMBER	PACKAGING
TriggerGrip [™] Dispensing Tool & One Standard Natural Bristle Brush (MCC-RBNB) NSN: 4940-01-361-0859	MCC-ESD	1 Tool/Box 10 Boxes/Case

TriggerGrip[™] Replacement Brushes

- Natural bristle brushes slip easily into place
- Reduce cleaning fluid consumption
- Speed up cleaning
- Last 3-4 months in normal rework environment

Standard Brush MCC-RBNB

Slo-Flo Brush MCC-RBNB2



NSN: 3439-01-428-3240

Surface Mount Brush MCC-SMB



Spray-Thru Syringe MCC-SR35



DESCRIPTION	PART NUMBER	PACKAGING
Standard Brush	MCC-RBNB	5 Brushes/Box
Surface Mount Brush	MCC-SMB	5 Brushes/Box
Slo-Flo Brush	MCC-RBNB2	5 Brushes/Box
Spray-Thru Syringe .035 O.D.	MCC-SR35	5 Syringes/Box

Bench Mounting Kit

- Conveniently holds the aerosol can and the TriggerGrip Dispensing Tool
- Keeps aerosol can from tipping and falling
- Organizes work bench
- ESD-safe





Bench Mounting Kit includes mounting hardware

PART NUMBER	PACKAGING	
MCC-BK3	1 Kit/Box 10 Boxes/Case	

PRESATURATED WIPES & REFILLS



MicroCare Presaturated IPA Wipes are now available in NEW standard weight, 175-count tubs to save you more!

STANDARD PRESATURATED IPA WIPE TUBS

- Standard-weight, lint free tear resistant wipes are saturated with high-purity IPA
- General purpose cleaning for manufacturing environments including material handling equipment, workbenches, cabinets, tools and most hard surfaces
- Cleans organic and ionic residue, light oils and other contaminants commonly found in manufacturing
- ESD-safe

PRO TIP! ·····> MONEY-SAVING REFILLS

- Reduce waste and save money by re-using the rugged plastic tubs
- Refill packages contain the same standard wipes and fluid as the tubs, at a reduced costs



NEW

STANDARD Presaturated IPA Wipes

70% HIGH PURITY ISOPROPYL ALCOHOL 30% DEIONIZED WATER



NEW STANDARD

Presaturated IPA Wipes

99.8% HIGH PURITY ISOPROPYL ALCOHOL



PACKAGING	PART NUMBER	SIZE of WIPE		PACKAGING	PART NUMBER	SIZE of WIPE
Tub 175 Wipes	MCC-IPA70W	8" x 5"		Tub 175 Wipes	MCC-IPA99W	8" x 5"
Refill Bag 175 Wipes	MCC-IPA70WR	8" x 5"	-	Refill Bag 175 Wipes	MCC-IPA99WR	8" x 5"

NOT FOR SALE TO CONSUMERS IN CALIFORNIA, ONLY FOR USE IN MANUFACTURING PROCESSES.



MICROCARE PREMIUM PRESATURATED WIPES

Choose the formula that's best for you.

- High-strength 100% PET polyester wipes are lint-free & tear resistant
- Large 8" x 5" wipes are ESD safe
- 100 wipes per tub available with money-saving refills

BEST SELLER





- Wipes are presaturated with 70% high-purity isopropyl alcohol and 30% deionized water
- Best choice for stencil cleaning and PCB assemblies; removes solder paste from squeegee blades and spatulas
- Cleans organic and ionic residues, light oils and other contaminants

PACKAGING	PART NUMBER
Tub 100 Wipes	MCC-MLCW
Refill Bag 100 Wipes	MCC-MLCWR



Alcohol-Enhanced Presaturated Wipes - ProClean™

- Wipes are presaturated with a very pure blend of water-free alcohols
- Excellent on lead-free pastes; strong stencil cleaner
- Faster drying, no rinsing required

PACKAGING	PART NUMBER	
Tub 100 Wipes	MCC-PROW	
Refill Bag 100 Wipes	MCC-PROWR	

IPA Raad Protectional Within Buckhar

IPA-Based Presaturated Wipes - IsoClean™

- Wipes are presaturated with 100% reagent-grade isopropyl alcohol for stronger cleaning
- Affordably priced cleaner for fluxes, pastes and light oils

PACKAGING	PART NUMBER	
Tub 100 Wipes	MCC-BACW	
Refill Bag 100 Wipes	MCC-BACWR	

Stencil, Squeegee & Misprint Cleaner Presaturated Wipes - ScreenClean[™]

Presaturated wipes are engineered for removing inks; excellent replacement for acetone and other ink removing solvents.



ESD Presaturated Cleaning Wipes

Static dissipative presaturated wipes for cleaning ESD mats, bins, benches, tool racks & more - thoroughly cleans flux, uncured adhesives, dirt, grease and oils without drying out mats.

PRODUCT	PACKAGING	PART NUMBER
Stencil, Squeegee & Misprint Cleaner Presaturated Wipe - ScreenClean™	Tub I 100 Wipes	MCC-CDIW
ESD Presaturated	Tub 100 Wipes	MCC-EC00W
Cleaning Wipe	Refill Bag 100 Wipes	MCC-EC00WR
Uncured Epoxy Cleaner	Tub 100 Wipes	MCC-EPXW
Presaturated Wipe - Expoxy™	Refill Bag 100 Wipes	MCC-EPXWR

Uncured Epoxy Cleaner Presaturated Wipes - Expoxy[™]

Wipes are presaturated with a water and alcohol mix to remove uncured epoxy, cured chip bonder, grease, solder paste, light oils and some inks.

MAINTENANCE CLEANERS

Becifically engineered for use on

- Specifically engineered for use on buses, trains, trolleys, elevators and escalator systems
- Extra-strength cleaner easily and quickly removes dirt, grease, oils, inks and organic grime from machinery and metal parts
- No residue/no rinsing
- Nonflammable and fast-drying



Technical Details
Chemical Family: HFC Blend
Nonflammable VOC Content (g/L): 757
RoHS/WEFE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-HDTC19A	19 oz 561 mL	1.19 lbs 540 g

99% Isopropyl Alcohol (IPA)

- · Ultra pure, economical and effective cleaner
- Medium drying speed for maximum cleaning time
- Plastic safe and ESD safe
- Familiar cleaning, handling and odor



Technical Details Chemical Family: Alcohol

Flammable | VOC Content (g/L): 785 RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Plastic Jug	MCC-BACFG	1 Gallon 3.79 L	6 lbs 2.7 kg
Plastic Bottle	MCC-BACPP	5 Gallon 18.93 L	32 lbs 14.5 kg
Drum	MCC-BACD	55 Gallon I 208 L	355 lbs 161.03 kg

Heavy-Duty Degreaser

- Super strong, multipurpose degreaser cleans most oils, wax, grease and some conformal coatings
- Instant drying, low odor
- No residue/no rinsing
- Nonflammable, ESD-safe
- Test on plastics



Technical Details Chemical Family: HFC Blend

Nonflammable | VOC Content (g/L): 757 RoHS/WEEE/REACH/EPA SNAP Compliant

PACKA	GING	PART NUMBER	VOLUME	WEIGHT
Aeros	sol	MCC-HDD19A	19 oz I 561 mL	1.19 lbs <mark> </mark> 540 g

General Purpose Degreaser

- Medium-strength fluid engineered for manual cleaning
- Degreases metal, plastic and ceramic parts
- Can be used as a defluxer for cleaning electronics during post reflow assembly
- Removes organics including oil, grease, fingerprints, grime and rosin-based and no-clean fluxes
- Non corrosive, static safe and leaves no residues



Technical Details

Chemical Family: Mixed Hydrocarbon Flammable | Evaporation: Slow RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Minipail	MCC-AXLG	1 Gallon 3.79 L	6 lbs 2.7 kg
Pail	MCC-AXLP	5 Gallon 18.93 L	32 lbs 14.5 kg
Drum	MCC-AXLD	55 Gallon I 208 L	365 lbs 165 kg

(1	Δ
	Ξ.
<u> </u>	~

TIDYPEN² The 60-second sticky stuff remover

NEW & IMPROVED formulation

Removes anything sticky including adhesives, labels, grease, oils, solder flux and tape residue.

- Engineered to be ESD safe, suitable for industrial uses on and around electronics
- Dries without residue or ghosting
- · Quick and easy to use

The *TidyPen*² is a strong adhesive cleaning fluid packaged in a convenient, portable pen.

Easy to use, the *TidyPen*² dispenses fluid when pressed onto a surface ensuring the fluid is used effectively with no waste to eliminate messy applications, spills, odors and fumes.

SIMPLE, FAST AND CONVENIENT CLEANING Press Tip to Apply Cleaner | Wait, then Scrub | Wipe Clean




To Extend Nib Life: Remove Nib & Reverse.





All packaging is designed to fit in a vending machine.



These aluminum pens are ESD-safe, spill-proof & easily recycled.

Technical Details

temoves anything sticky: Adhesives, Grease, Gum, Labels, Oils, Solder Flux, Tape Residu

The 60-second sticky stuff remove

Chemical Family: Hydrocarbon | Nonflammable | RoHS/WEEE/REACH/EPA SNAP Compliant NOTE: Not for sale in California

PRODUCT	PART NUMBER	PACKAGING	VOLUME	WEIGHT
TidyPen™ 2	MCC-P02	1 Pen 10 Pens /Case	.5 oz 10 mL	.02 lbs 10 g
	MCC-PEN2	5 Pen Pack 10 Packs /Case		
Chisel-Point Nibs	MCC-P40C	Bag of 25		
Pen-Point Nibs	MCC-P40P	Bag of 25		

15

المراجع STENCIL / EQUIPMENT CLEANING & LINT-FREE WIPES



Stencil Cleaning Rolls

EXACT REPLACEMENT TO OEM ROLLS AT COMPETITIVE PRICES

- Unique FP (Fine Pitch) 100% hydrogenated polyester is our heaviest and softest absorbent for fine-pitch stencil printing applications
- Durable and absorbent FP stencil wipes eliminate the need to use solvents during automated under-stencil wiping and reduces roll consumption by extending the wiping cycle
- Economy E is a lighter weight, paper-based fabric with a cellulose content

MicroCare[™] has many additional rolls and custom configurations. Call for details.

PRINTER	FABRIC	PART NUMBER	SIZE (Approx Length x Width)
EKRA	Premium FP	MCC-J174DA	22 ft x 19.7 in 6.7 m x .5 m
ASM (DEK)	Premium FP	MCC-105DA	30 ft x 20.8 in 9.14 m x .5 m
MPM	Premium FP	MCC-101DA	39 ft x 18 in 11.89 m x .4 m
Panasonic	Premium FP	MCC-J154DA	108 ft x 13.7 in 33 m x .3 m
MPM	Economy E	MCC-101TEA	39 ft x 18 in 11.89 m x .4 m
MPM	Economy E	MCC-101TEA4	130 ft x 17.5 in 39.5 m x .44 m

Lint-Free Wipes

VARIETY OF SIZES, PACKAGING & WEIGHTS FOR EVERY APPLICATION

- No binders ensuring maximum purity
- Enormous variety of woven, knitted and non-woven choices
- · All are high strength, non-linting fabric for max performance
- High-purity packaging available for cleanroom environments
- Optical grades also available

PRODUCT	DESCRIPTION	PART NUMBER PACK QUANTITY	SIZE of WIPE
BEST SELLER	 Economical, medium absorption polyester/cellulose wipes Great for use on the rework bench 	MCC-W66 50 Wipes	6 in x 6 in 152 mm x 152 mm
General Purpose Wipes NSN: 7920-01-428-4372	Electronics-grade SMT lint-free wipes	MCC-W99 300 Wipes	9 in x 9 in 228 mm x 228 mm
	 Non-woven polyester wipes - strong, absorbent, bulky and soft 	MCC-W66CP 300 Wipes	6 in x 6 in 152 mm x 152 mm
	 For heavy-duty, nonabrasive applications 	MCC-W99CP 300 Wipes	9 in x 9 in 228 mm x 228 mm
Composite Wipes	 Great cleaning at low cost Multi layers of cellulose between polypropylene (very soft & fluffy for extra absorption) Resists damage from abrasion 	MCC-W88 100 Wipes	8 in x 8 in 203 mm x 203 mm
Optical Grade Wipes	 High-purity, opitcal-grade polyester wipes Sized for more delicate cleaning - optical devices, microscopes and smaller tools 	MCC-WF44 50 Wipes	4 in x 4 in 101 mm x 101 mm
Stencil Wipes	Relatively low lintingGood purity polyester/cellulose wipes	MCC-W11 100 Wipes	8.5 in x 11 in 216 mm x 279 mm
	 A larger polyester/cellulose wipe for faster cleaning Textured for better scrubbing 	MCC-W12 50 Wipes	12 in x 17 in 305 mm x 432 mm
	 Strong synthetic polymer wipes with great lifting ability 6 in x 6 in - Sized for the rework bench 	MCC-W66DF 300 Wipes	6 in x 6 in 152 mm x 152 mm
	 9 in x 9 in - Optimal size for stencil wiping 	MCC-W99DF 300 Wipes	9 in x 9 in 228 mm x 228 mm





Aqueous Stencil Cleaner

- Removes all types of solder pastes, uncured chip bonder and inks
- Safe for stencils, webbing, frames and misprinted boards
- Fast and thorough cleaning, even inside stencil apertures
- Slow-drying for economical cleaning
- Suitable for use in ultrasonic cleaning tanks
- Nonflammable and non-foaming

Technical Details

Chemical Family: Water-Based Nonflammable | VOC Content (g/L): 209 RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Pump Spray	MCC-BGA	16 oz I 260 mL	.75 lbs <mark> </mark> 340 g
Cube	MCC-BGAG	1 Gallon 3.79 L	7 lbs <mark> </mark> 3.18 kg
Cube	MCC-BGAP	5 Gallon 14.52 L	32 lbs 14.52 kg
Drum	MCC-BGAD	55 Gallon 208.2 L	400 lbs 181 kg

MultiTask Surface Electronic Cleaner MultiClean™

- Removes solder paste, flux residues, fingerprints, uncured epoxy residues, light oils and grease, organic and ionic residue and light oils
- Suitable for cleaning a variety of surfaces and the working environment
- Cleans medical devices, electronics, stencils, work benches, tools, production machinery, and any surface that requires hygienic grade cleaning



MicroCare

Aqueous tencil Clear

Reflow Oven Cleaner

- Speeds cleaning of ovens even when hot
- Cleans pallets, baffles, heating elements, clamps, chains, drive gears and housings
- Can be used in dip tanks and ultrasonic cleaners
- Melts away burned-on flux residues from wave solder machines and reflow ovens
- Four times faster than isopropyl alcohol
- Nonflammable and non-foaming

Technical Details

Chemical Family: Water-Based Nonflammable | VOC Content (g/L): 50 RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Pump Spray	MCC-ROC	16 oz 260 mL	.75 lbs 340 g
Cube	MCC-ROCG	1 Gallon 3.79 L	7 lbs <mark> </mark> 3.18 kg
Cube	MCC-ROCP	5 Gallon 14.52 L	30 lbs <mark> </mark> 13.61 kg
Drum	MCC-ROCD	55 Gallon 208.2 L	436 lbs 197.78 kg

VDX Dry Lubricant Spray

- PTFE dry lubricant spray provides a dry, slippery coating
- Reduces "stiction" and wear associated with surface-to-surface movement
- Non-migrating spray stays where it is applied
- Use on metals, plastics and ceramics
- Nonflammable and no odor



PACKAGING	PART NUMBER	VOLUME	WEIGHT
Pump Spray	MCC-MLC16	12 oz 391 mL	.75 lbs 340 g
Plastic Jug	MCC-MLCJG	.85 Gallon 3.2 L	6 lbs <mark> </mark> 2.72 kg
Plastic Container	MCC-MLCPP	4.5 Gallon 17.1 L	32 lbs 14.52 kg

PACKAGING	PART NUMBER	VOLUME	WEIGHT
Aerosol	MCC-VDX	12 oz 354 mL	.75 lbs 340 g

MicroCare





CONTACT CLEANER & CIRCUIT CHILLER

Universal Contact Cleaner



RESTORES ELECTRICAL CONTINUITY

- Plastic-safe contact cleaner and circuit rinse
- Rinses away dust, lint, grit, light oils
- Ideal for use on connectors, switches, electromechanical parts, circuit boards, cable harnesses, motors, keyboards and windings
- Dries in seconds with no residue
- TriggerGrip™ cleaning system compatible



Technical Details Chemical Family: HFO Cleaning Strength (Kb): 34 Nonflammable Evaporation: Fast VOC Content (g/L): 59

RoHS/WEEE/REACH/EPA SNAP Compliant

PACKAGING	PART NUMBER	PACKAGING
Aerosol	MCC-CCH10A	10.5 oz 300g

Circuit Chillers General Purpose & Anti-Static

QUICKLY FIND INTERMITTENT FAULTS IN CIRCUIT BOARDS

- ► ESD-safe when used with the StatZapTM tool
- Leaves ice on the PCB momentarily
- Chills to lower than -45°C in seconds
- Nonflammable and ultra-pure

Technical Details

Evaporation: Instant

RoHS/WEEE/ REACH/ EPA SNAP Compliant

NSN: 6850-01-409-2602

Nonflammable

Chemical Family: HFC Blend



PRODUCT	PART NUMBER	PACKAGING	
General Purpose	Aerosol MCC-FRZ	10 oz 280g	
Anti-Static	Aerosol MCC-FRZA	10 oz 280g	

StatZAP[™] ESD Eliminator

ELIMINATES ESD DAMAGE





Handy dispensing tool designed to dissipate the ESD charge created by aerosol products. The StatZAP[™] continuously drains static charges to less than 50 volts so the static can never reach levels dangerous to components and PCBs. The StatZAP[™] does not affect or impair solvent performance.

- Eliminates ESD static and damage
- Unique ShockShield[™] prevents contact with energized circuits
- Fits most MicroCare[™] aerosols (Not for use with general purpose dust removers)

PART NUMBER	PACKAGING	
MCC-ZAP	Case of 10	

GENERAL PURPOSE DUST REMOVERS





- Nonflammable for maximum safety
- High-purity, leaves no residues
- Completely ozone-safe



(360°) T

The 360° style can be sprayed a any angle to simplify cleaning.



Each aerosol delivers a powerful dry blast of a clear, non-flammable gas to blow dust, lint, fibers, powder and grit away. The surface remains dry during cleaning.



These high-pressure compressed dusters are widely used to remove dry dust and lint from PCBs, optics, machinery, circuitry and keyboards.

Technical Details

Chemical Family: HFC or HFO | Evaporation: Instant | Nonflammable | VOC Content (g/L): 0 RoHS/WEEE/REACH/EPA SNAP Compliant | NSN: 6850-01-483-4104

PRODUCT	PART NUMBER	PACKAGING	HIGH-PRESSURE BLAST	INVERTIBLE 360° SPRAY	StatZap* COMPATIBLE
General Purpose Dust Remover	MCC-DST	Aerosol 10 oz 280g	\checkmark		
	MCC-DST14A	Aerosol 14 oz 392g	\checkmark		
General Purpose Dust Remover (StatZap* COMPATIBLE)	MCC-DSTZ	Aerosol 10 oz 280g			V
	MCC-DSTZ14	Aerosol 14 oz 392g			V
General Purpose Dust Remover 360°	MCC-DST08A	Aerosol 8 oz 237g		\checkmark	

19



Discover Perfectly Clean



EXPERTISE YOU CAN TRUST

Cleaning application scientists answer your questions

DETAILED CLEANING

RECOMMENDATIONS

The MicroCare application scientists are well-versed in critical cleaning methods and fluids. On-site regional sales managers and in-house chemists offer you the know-how to solve your critical cleaning problems.

IN-LAB

CLEANING TRIALS

Sustainable products for a better future

Let us help you establish a sustainable cleaning

and low global warming potential (GWP) cleaning

fluids. Get reliable cleaning performance and meet stringent local, national and global environmental

process with minimal volatile organic compound (VOC)

ON-SITE

CLEANING AUDITS

policies.







CONTACT US TODAY

MicroCare, LLC

595 John Downey Drive New Britain, CT 06051 USA Tel: +1 860 827 0626 Toll Free: 1 800 638 0125 Email: TechSupport@MicroCare.com

MicroCare Asia Pte Ltd

102E, Pasir Panjang Road Citilink, #05-06 Singapore 118529 Tel: +65 6271 0182 Email: TechSupport@MicroCare.sg

MicroCare.com

© 2023 MicroCare. All Rights Reserved.

MicroCare U.K. Ltd

Unit 4, Whitehall Court Leeds LS12 5SN UK Tel: +44 (0) 113 3609019 Email: MCCEurope@MicroCare.com

MicroCare, ExPoxy, IsoClean, MicroWipe, MultiClean, OPTIXX, PowerClean, ProClean, ScreenClean, ShockShield, SpecClean, StatZAP, SuprClean, TidyPen2, TriggerGrip, UltraClean, VeriClean, CleanWipes, the MicroCare logo, the Optixx logo and the TidyPen2 logo are trademarks or registered trademarks of MicroCare, LLC.



Stay informed at MicroCareElectronics.com View Full Product Line Watch Instructional Videos Download SDS & Technical Data Sheets

Access Regulatory News, Case Studies & more!



