



SAFETY DATA SHEET

Tergo Metal Cleaning Fluid

According to WHMIS 2015, in compliance with the Hazardous Product Act (HPA, as amended) and the requirements of the Hazardous Product Regulations (HPR)

1. Identification

Product identifier

Product name Tergo Metal Cleaning Fluid

Product number MCC-TMCFEUD, MCC-TMCFEUG, MCC-TMCFEUGG, MCC-TMCFEUHGG, MCC-TMCFEUP, MCC-TMCFEUGL, MCC-TMCFEUHGL

Synonyms; Common Names Prototype 10-122-2

Recommended use of the chemical and restrictions on use

Restriction on use Cleaning agent.

Uses advised against No specific uses advised against are identified.

Details of the supplier of the safety data sheet

Supplier MICROCARE LLC

Manufacturer MICROCARE LLC
595 John Downey Drive
New Britain, CT 06051
United States of America
CAGE: OATV9
Tel: +1 800-638-0125, +1 860-827-0626
techsupport@microcare.com

Emergency telephone number

Emergency telephone INFOTRAC 1-800-535-5053 (CANADA and U.S.A.)
1-352-323-3500 (from anywhere in the world)

2. Hazard identification

Classification of the substance or mixture

WHMIS Regulatory Status This product has been classified according to the hazard criteria of the Hazardous Product Regulations and the SDS contains all required information.

Physical hazards Not Classified

Health hazards Acute Tox. 4 - H332 Eye Irrit. 2A - H319 STOT SE 3 - H336

Environmental hazards Aquatic Chronic 3 - H412

Human health See Section 11 for additional information on health hazards. May be slightly irritating to eyes. Splashes in the eyes may cause redness and irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Physicochemical Vapours are heavier than air and may travel along the floor and accumulate in the bottom of containers.

Label elements

Tergo Metal Cleaning Fluid

Hazard pictograms



Signal word

Warning

Hazard statements

H332 Harmful if inhaled.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.
 H412 Harmful to aquatic life with long lasting effects.

Precautionary statements

P261 Avoid breathing vapour/ spray.
 P264 Wash contaminated skin thoroughly after handling.
 P271 Use only outdoors or in a well-ventilated area.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
 P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P312 Call a POISON CENTRE/doctor if you feel unwell.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label information

Safety data sheet available on request.
 For use in industrial installations only.

Contains

trans-1,2-DICHLOROETHYLENE

Other hazards

This product does not contain any substances classified as PBT or vPvB.

3. Composition/information on ingredients

Mixtures

| | |
|-----------------------------------|----------------------------|
| trans-1,2-DICHLOROETHYLENE | 60-95% Trade secret |
| CAS number: 156-60-5 | |
| Classification | |
| Flam. Liq. 2 - H225 | |
| Acute Tox. 4 - H332 | |
| Eye Irrit. 2A - H319 | |
| STOT SE 3 - H336 | |
| Aquatic Chronic 3 - H412 | |
| Proprietary A | 1-5% Trade secret |
| CAS number: Proprietary | |
| Classification | |
| Aquatic Chronic 3 - H412 | |

Tergo Metal Cleaning Fluid

| | |
|--------------------------|--------------------------|
| Proprietary B | 1-5% Trade secret |
| CAS number: Proprietary | |
| Classification | |
| Aquatic Chronic 3 - H412 | |

The full text for all hazard statements is displayed in Section 16.

Composition comments Not applicable.

Composition

4. First-aid measures

Description of first aid measures

| | |
|-----------------------------------|--|
| General information | If in doubt, get medical attention promptly. Show this Safety Data Sheet to the medical personnel. |
| Inhalation | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Get medical attention. Place unconscious person on their side in the recovery position and ensure breathing can take place. |
| Ingestion | Rinse mouth thoroughly with water. Get medical advice/attention if you feel unwell. Do not induce vomiting unless under the direction of medical personnel. |
| Skin contact | Rinse with water. |
| Eye contact | Remove any contact lenses and open eyelids wide apart. Rinse with water. Get medical attention if any discomfort continues. |
| Protection of first aiders | First aid personnel should wear appropriate protective equipment during any rescue. |

Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|---|
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. |
| Ingestion | No specific symptoms known. |
| Skin contact | No specific symptoms known. |
| Eye contact | No specific symptoms known. May be slightly irritating to eyes. |

Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

5. Fire-fighting measures

Extinguishing media

| | |
|---------------------------------------|--|
| Suitable extinguishing media | The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire. |
| Unsuitable extinguishing media | Do not use water jet as an extinguisher, as this will spread the fire. |

Specific hazards arising from the hazardous product

Tergo Metal Cleaning Fluid

| | |
|--|---|
| Specific hazards | Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic. |
| Hazardous combustion products | Hazardous decomposition products: Incineration may cause the following products: Toxic and corrosive gases or vapors. Halogenated hydrocarbons. Hydrogen fluoride (HF). Carbon dioxide (CO ₂). Carbon monoxide (CO). Hydrogen chloride (HCl). |
| <u>Advice for firefighters</u> | |
| Protective actions during firefighting | Avoid breathing fire gases or vapours. Evacuate area. Keep upwind to avoid inhalation of gases, vapours, fumes and smoke. Ventilate closed spaces before entering them. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Avoid discharge to the aquatic environment. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities. |
| Special protective equipment for firefighters | Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing that provides a basic level of protection during chemical incidents is defined by the Canada Occupational Health and Safety Regulations, by provincial guidelines on occupational health and safety or by NFPA standards if applicable. |

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| | |
|-----------------------------|--|
| Personal precautions | Wear protective clothing as described in Section 8 of this safety data sheet. No action shall be taken without appropriate training or involving any personal risk. Do not touch or walk into spilled material. Avoid inhalation of vapours and spray/mists. Use suitable respiratory protection if ventilation is inadequate. |
|-----------------------------|--|

Environmental precautions

| | |
|----------------------------------|---|
| Environmental precautions | Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. |
|----------------------------------|---|

Methods and material for containment and cleaning up

| | |
|--------------------------------|---|
| Methods for cleaning up | Wear protective clothing as described in Section 8 of this safety data sheet. Clear up spills immediately and dispose of waste safely. Provide adequate ventilation. Small Spillages: Collect spillage. Large Spillages: Absorb spillage with non-combustible, absorbent material. The contaminated absorbent may pose the same hazard as the spilled material. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dangerous for the environment. Do not empty into drains. For waste disposal, see Section 13. |
|--------------------------------|---|

Reference to other sections

| | |
|------------------------------------|---|
| Reference to other sections | For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13. |
|------------------------------------|---|

7. Handling and storage

Precautions for safe handling

Tergo Metal Cleaning Fluid

| | |
|--|--|
| Usage precautions | Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimize spills. Keep container tightly sealed when not in use. Avoid the formation of mists. Avoid discharge to the aquatic environment. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers. |
| Advice on general occupational hygiene | Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse. |
| <u>Conditions for safe storage, including any incompatibilities</u> | |
| Storage precautions | Store away from incompatible materials (see Section 10). Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. |
| Storage class | Miscellaneous hazardous material storage. |
| <u>Specific end use(s)</u> | |
| Specific end use(s) | The identified uses for this product are detailed in Section 1. |
| Reference to other sections. | Store away from incompatible materials (see Section 10). |

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

trans-1,2-DICHLOROETHYLENE

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 793 mg/m³

ACGIH = American Conference of Governmental Industrial Hygienists.

Ingredient comments ACGIH = US Standard. WEL = Workplace Exposure Limits

Exposure controls

Protective equipment



| | |
|---|---|
| Appropriate engineering controls | Provide adequate general and local exhaust ventilation. Ensure the ventilation system is regularly maintained and tested. Good general ventilation should be adequate to control worker exposure to airborne contaminants. Observe any occupational exposure limits for the product or ingredients. |
| Eye/face protection | Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. |
| Hand protection | No specific hand protection recommended. Avoid contact with skin. |
| Other skin and body protection | Wear appropriate clothing to prevent repeated or prolonged skin contact. |
| Hygiene measures | Wash after use and before eating, smoking and using the toilet. Do not eat, drink or smoke when using this product. |

Tergo Metal Cleaning Fluid

| | |
|--|---|
| Respiratory protection | Ensure all respiratory protective equipment is suitable for its intended use and is NIOSH approved. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Full face mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. Half mask and quarter mask respirators with replaceable filter cartridges should comply with the Canadian regulation on health and safety at work, SOR/86-304, Part XII (12.7), and any relevant provincial regulation relating to health and safety at work. |
| Environmental exposure controls | Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

9. Physical and chemical properties

Information on basic physical and chemical properties

| | |
|---|---|
| Appearance | Clear liquid. |
| Colour | Water-white. |
| Odour | Slight. Ether. |
| Odour threshold | No information available. |
| pH | No information available. |
| Melting point | No information available. |
| Initial boiling point and range | 46.8°C/116.24°F |
| Flash point | Does not flash. TCC ASTM D-56; ASTM D-3278-96 |
| Evaporation rate | No information available. |
| Evaporation factor | No information available. |
| Flammability (solid, gas) | No information available. |
| Upper/lower flammability or explosive limits | Explosive Limits: Lower explosive limit: 7 %(V) Upper explosive limit: 15.6 %(V) ASTM E681-09 |
| Other flammability | No information available. |
| Relative density | 1.29 |
| Bulk density | No information available. |
| Solubility(ies) | Slightly soluble in water. |
| Partition coefficient | log Pow: 1.91 at 25°C (estimated) |
| Auto-ignition temperature | 372°C/702°F |
| Decomposition Temperature | No information available. |
| Viscosity | No information available. |
| Explosive properties | No information available. |
| Global Warming Potential (GWP) | |

Tergo Metal Cleaning Fluid

Surface tension

| | |
|--|--|
| Refractive index | No information available. |
| Particle size | No information available. |
| Molecular weight | No information available. |
| Volatility | No information available. |
| Saturation concentration | No information available. |
| Critical temperature | No information available. |
| Volatile organic compound | This product contains a maximum VOC content of 1178 g/l. |
| Heat of vaporization (at boiling point), cal/g (Btu/lb) | |

10. Stability and reactivity

| | |
|---|--|
| Reactivity | See the other subsections of this section for further details. |
| Stability | Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions. |
| Possibility of hazardous reactions | No potentially hazardous reactions known. |
| Conditions to avoid | There are no known conditions that are likely to result in a hazardous situation. |
| Materials to avoid | No specific material or group of materials is likely to react with the product to produce a hazardous situation. |
| Hazardous decomposition products | Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours. |

11. Toxicological information

Information on toxicological effects

| | |
|--|--|
| Other health effects | There is no evidence that the product can cause cancer. |
| <u>Acute toxicity - oral</u> Notes (oral LD₅₀) | Based on available data the classification criteria are not met. |
| <u>Acute toxicity - dermal</u> Notes (dermal LD₅₀) | Based on available data the classification criteria are not met. |
| <u>Acute toxicity - inhalation</u> Notes (inhalation LC₅₀) | Acute Tox. 4 - H332 Harmful if inhaled. |
| ATE inhalation (vapours mg/l) | 11.0 |
| <u>Skin corrosion/irritation</u> Animal data | Based on available data the classification criteria are not met. |
| <u>Serious eye damage/irritation</u> Serious eye damage/irritation | Based on available data the classification criteria are not met. |
| <u>Respiratory sensitization</u> | |

Tergo Metal Cleaning Fluid

| | |
|--|--|
| Respiratory sensitization | Based on available data the classification criteria are not met. |
| <u>Skin sensitization</u> | |
| Skin sensitization | Based on available data the classification criteria are not met. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | Based on available data the classification criteria are not met. |
| <u>Carcinogenicity</u> | |
| Carcinogenicity | Based on available data the classification criteria are not met. |
| IARC carcinogenicity | None of the ingredients are listed or exempt. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | Based on available data the classification criteria are not met. |
| Reproductive toxicity - development | Based on available data the classification criteria are not met. |
| <u>Specific target organ toxicity - single exposure</u> | |
| STOT - single exposure | Not classified as a specific target organ toxicant after a single exposure. |
| <u>Specific target organ toxicity - repeated exposure</u> | |
| STOT - repeated exposure | Not classified as a specific target organ toxicant after repeated exposure. |
| <u>Aspiration hazard</u> | |
| Aspiration hazard | Based on available data the classification criteria are not met. |
| <u>General information</u> | |
| General information | The severity of the symptoms described will vary dependent on the concentration and the length of exposure. |
| Inhalation | A single exposure may cause the following adverse effects: Headache. Exhaustion and weakness. |
| Ingestion | No specific symptoms known. |
| Skin contact | No specific symptoms known. |
| Eye contact | No specific symptoms known. |
| Route of exposure | Ingestion Inhalation Skin and/or eye contact |
| Target organs | No specific target organs known. |
| Medical symptoms | Product has a defatting effect on skin. May cause allergic contact eczema. In case of overexposure, organic solvents may depress the central nervous system causing dizziness and intoxication, and at very high concentrations unconsciousness and death. |

Toxicological information on ingredients

trans-1,2-DICHLOROETHYLENE

| | |
|--|---|
| Other health effects | There is no evidence that the product can cause cancer. |
| <u>Acute toxicity - oral</u> | |
| Acute toxicity oral (LD₅₀ mg/kg) | 7,902.0 |
| Species | Rat |
| ATE oral (mg/kg) | 7,902.0 |

Tergo Metal Cleaning Fluid

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE dermal (mg/kg) 5,000.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 11.0

Skin corrosion/irritation

Skin corrosion/irritation Prolonged and frequent contact may cause redness and irritation.

Animal data Slightly irritating. Rabbit

Serious eye damage/irritation

Serious eye damage/irritation Supplier's information. Rabbit 500 mg 24 hours Causes mild skin irritation.

Respiratory sensitization

Respiratory sensitization No specific test data are available.

Skin sensitization

Skin sensitization No specific test data are available.

Germ cell mutagenicity

Genotoxicity - in vitro This substance has no evidence of mutagenic properties.

Genotoxicity - in vivo This substance has no evidence of mutagenic properties.

Carcinogenicity

Carcinogenicity No specific test data are available.

Specific target organ toxicity - single exposure

STOT - single exposure NOAEL Not available.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure NOAEL 16 mg/l, 90 days

Target organs Endocrine system Liver Kidneys Bladder Respiratory tract

Proprietary B

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,000.0

Species Rat

ATE oral (mg/kg) 5,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,000.0

Species Rat

Tergo Metal Cleaning Fluid

| | |
|---|--|
| ATE dermal (mg/kg) | 5,000.0 |
| <u>Acute toxicity - inhalation</u> | |
| Acute toxicity inhalation (LC₅₀ vapours mg/l) | 114.0 |
| Species | Rat |
| ATE inhalation (vapours mg/l) | 114.0 |
| <u>Skin corrosion/irritation</u> | |
| Animal data | Not irritating. Rabbit |
| Human skin model test | Data lacking. |
| Extreme pH | Not applicable. Not corrosive to skin. |
| <u>Serious eye damage/irritation</u> | |
| Serious eye damage/irritation | Not irritating. Rabbit |
| <u>Respiratory sensitization</u> | |
| Respiratory sensitization | Data lacking. |
| <u>Skin sensitization</u> | |
| Skin sensitization | Not sensitising. - Guinea pig: Not sensitising. |
| <u>Germ cell mutagenicity</u> | |
| Genotoxicity - in vitro | This substance has no evidence of mutagenic properties. |
| Genotoxicity - in vivo | This substance has no evidence of mutagenic properties. |
| <u>Carcinogenicity</u> | |
| Carcinogenicity | Does not contain any substances known to be carcinogenic. |
| IARC carcinogenicity | Not listed. |
| <u>Reproductive toxicity</u> | |
| Reproductive toxicity - fertility | No evidence of reproductive toxicity in animal studies. |
| . | |
| Skin contact | Skin irritation should not occur when used as recommended. May cause defatting of the skin but is not an irritant. |
| Eye contact | May cause eye irritation. |
| Acute and chronic health hazards | There is no evidence that the product can cause cancer. |

12. Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Tergo Metal Cleaning Fluid

Ecotoxicity Harmful to aquatic life. May cause long lasting harmful effects to aquatic life.

Toxicity Aquatic Chronic 3 - H412 Harmful to aquatic life with long lasting effects.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 135 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 220 mg/l, Daphnia magna

Acute toxicity - aquatic plants LC₅₀, 72 hours: 36.36 mg/l, Pseudokirchneriella subcapitata

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 48 hours: 110,000 mg/l, Daphnia magna

Proprietary B

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: >0.096 mg/l, Oryzias latipes (Red killifish)

Acute toxicity - aquatic invertebrates LC₅₀, 48 hours: >0.157 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 72 hours: >0.000477 mg/l, Pseudokirchneriella subcapitata

Persistence and degradability

Persistence and degradability The degradability of the product is not known.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Biodegradation Not readily biodegradable.
Method: OECD Test Guideline 301D

Proprietary B

Biodegradation Inherently biodegradable.

Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient log Pow: 1.91 at 25°C (estimated)

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Bioaccumulative potential Bioaccumulation is unlikely to be significant because of the low water-solubility of this product.

Partition coefficient log Pow: 2.06

Tergo Metal Cleaning Fluid

Proprietary B

Bioaccumulative potential BCF: 1990, Cyprinus carpio (Common carp)

Partition coefficient Pow: 4.9

Mobility in soil

Mobility No data available.

Ecological information on ingredients

trans-1,2-DICHLOROETHYLENE

Mobility The product has poor water-solubility.

Other adverse effects

Other adverse effects None known.

13. Disposal considerations

Waste treatment methods

General information

The generation of waste should be minimized or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

Disposal methods

Do not empty into drains. Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labeled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

Waste class

Aucune information disponible

14. Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, TDG).

UN number

UN No. (IMDG)

Not classified as dangerous for transport.

UN No. (DOT)

UN3082 (>2640 lbs), otherwise Not classified as hazardous.

UN proper shipping name

Proper shipping name (IMDG)

Not classified as dangerous for transport.

Proper shipping name (DOT)

DOT only - when shipped in packages with > 2640 lbs., use: UN3082, Environmentally Hazardous Substance, Liquid, N.O.S. (Dichloroethylene), 9, PGIII RQ (Dichloroethylene)

Transport hazard class(es)

Transport Labels (International)

Not applicable., No information required.

Transport labels

No transport warning sign required.

Tergo Metal Cleaning Fluid

Packing group

Packing group (International) No information required., Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code No information required.

15. Regulatory information

Inventories

Canada – DSL/NDSL

All the ingredients are listed or exempt.

US - TSCA

Present.

US – TSCA 12(b) Export Notification

The following ingredients are listed:

Proprietary A

Present.

Australia - AICS

trans-1,2-DICHLOROETHYLENE

16. Other information

| | |
|--|---|
| Classification abbreviations and acronyms | Acute Tox. = Acute toxicity Aquatic Chronic = Hazardous to the aquatic environment (chronic) |
| Training advice | Only trained personnel should use this material. |
| Revision comments | NOTE: Lines within the margin indicate significant changes from the previous revision. |
| Revision date | 2021-05-25 |
| Revision | 76 |
| Supersedes date | 2021-04-19 |
| SDS number | BULK - TMCFEU |
| SDS status | Approved. |
| Hazard statements in full | H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H332 Harmful if inhaled. H336 May cause drowsiness or dizziness. H412 Harmful to aquatic life with long lasting effects. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.