



SAFETY DATA SHEET

Isopropyl Alcohol

According to Appendix D, OSHA Hazard Communication Standard 29 CFR §1910.1200.

1. Identification

Product identifier

Product name	Isopropyl Alcohol
Chemical name	PROPAN-2-OL
Product number	MCC-BACFG, MCC-BACPP, MCC-4725
Synonyms; trade names	Isopropyl Alcohol, Isopropanol
CAS number	67-63-0

Recommended use of the chemical and restrictions on use

Application	Cleaning agent.
-------------	-----------------

Details of the supplier of the safety data sheet

Supplier	MICROCARE LLC
Manufacturer	MICROCARE LLC 595 John Downey Drive New Britain, CT 06051 United States of America CAGE: OATV9 Tel: + 1 800 638 0125, +1 860-827-0626 techsupport@microcare.com

Emergency telephone number

Emergency telephone	INFOTRAC 1-800-535-5053 (U.S.A. and CANADA) 1-352-323-3500 (from anywhere in the world)
---------------------	--

2. Hazard(s) identification

Classification of the substance or mixture

OSHA Regulatory Status	This Product is Hazardous under the OSHA Hazard Communication Standard.
Physical hazards	Flam. Liq. 2 - H225
Health hazards	Eye Irrit. 2A - H319 STOT SE 3 - H336
Environmental hazards	Not Classified

Label elements

Hazard symbols



Signal word	Danger
-------------	--------

Isopropyl Alcohol

Hazard statements	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	P210 Keep away from heat, sparks, open flames and hot surfaces. No smoking. P240 Ground/ bond container and receiving equipment. P241 Use explosion-proof electrical equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing vapor/ spray. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 Call a poison center/ doctor if you feel unwell. P337+P313 If eye irritation persists: Get medical advice/ attention. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with national regulations.
Supplemental label information	Safety data sheet available on request. For use in industrial installations only.

3. Composition/information on ingredients

Substances

Product name	Isopropyl Alcohol
Chemical name	PROPAN-2-OL
CAS number	67-63-0

Mixtures

Composition

4. First-aid measures

Description of first aid measures

Inhalation	IF INHALED: When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Ingestion	IF SWALLOWED: Get medical attention immediately. Do not induce vomiting unless under the direction of medical personnel. Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water.
Skin Contact	IF ON SKIN (or hair): Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Take off immediately all contaminated clothing and wash it before reuse. Get medical attention if any discomfort continues.
Eye contact	IF IN EYES: Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Have eyes examined and tested by medical personnel.

Indication of immediate medical attention and special treatment needed

Specific treatments	Treat symptomatically.
----------------------------	------------------------

5. Fire-fighting measures

Extinguishing media

Isopropyl Alcohol

Suitable extinguishing media Extinguish with carbon dioxide or dry powder. Alcohol-resistant foam.

Special hazards arising from the substance or mixture

Specific hazards Containers can burst violently or explode when heated, due to excessive pressure build-up. Vapors are heavier than air and may spread near ground and travel a considerable distance to a source of ignition and flash back.

Advice for firefighters

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Wear fire/flame resistant/retardant clothing. Face mask, protective gloves and safety helmet.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation.

Environmental precautions

Environmental precautions Avoid the spillage or runoff entering drains, sewers or watercourses.

Methods and material for containment and cleaning up

Methods for cleaning up Collect with non-combustible absorbent material. Flush with water. Dike for large spills.

7. Handling and storage

Precautions for safe handling

Usage precautions Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not breathe vapour/spray. Use only outdoors or in a well-ventilated area. Wash skin thoroughly after handling. Ground/bond container and receiving equipment. Take precautionary measures against static discharges.

8. Exposure controls/Personal protection

Control parameters

Occupational exposure limits

Long-term exposure limit (8-hour TWA): OSHA 400 ppm 980 mg/m³

Long-term exposure limit (8-hour TWA): ACGIH 200 ppm 492 mg/m³

Short-term exposure limit (15-minute): ACGIH 400 ppm 984 mg/m³

A4

OSHA = Occupational Safety and Health Administration.

ACGIH = American Conference of Governmental Industrial Hygienists.

A4 = Not Classifiable as a Human Carcinogen.

Exposure controls

Immediate danger to life and health 2000 ppm

9. Physical and chemical properties

Information on basic physical and chemical properties

Appearance Liquid.

Color Colorless.

Odor Alcoholic.

Isopropyl Alcohol

Odor threshold	No information available.
pH	No information available.
Melting point	- 89.0°C/- 128.2°F
Initial boiling point and range	80 - 100°C/176 - 212°F
Flash point	12°C/53.6°F Method: Closed cup.
Evaporation rate	No information available.
Evaporation factor	No information available.
Flammability (solid, gas)	No information available.
Upper/lower flammability or explosive limits	No information available.
Other flammability	No information available.
Vapor pressure	4.4 kPa @ not specified°C
Vapor density	2.07
Relative density	0.786
Bulk density	No information available.
Solubility(ies)	No information available.
Partition coefficient	: 0.05
Auto-ignition temperature	No information available.
Decomposition Temperature	No information available.
Viscosity	2.6 mm ² /s @ not specified°C
Explosive properties	No information available.
Refractive index	No information available.
Particle size	Not available.
Molecular weight	No information available.
Volatility	No information available.
Saturation concentration	No information available.
Critical temperature	No information available.

10. Stability and reactivity

Stability	Stable at normal ambient temperatures.
Conditions to avoid	Oxidizing agents. Avoid heat, flames and other sources of ignition.
Materials to avoid	Strong oxidizing agents. Aldehydes. Amines.

11. Toxicological information

Information on toxicological effects

Acute toxicity - inhalation

Isopropyl Alcohol

Acute toxicity inhalation (LC₅₀ vapours mg/l) 16,000.0

ATE inhalation (vapours mg/l) 16,000.0

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

NTP carcinogenicity Not listed.

OSHA Carcinogenicity Not listed.

12. Ecological information

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 9,640 mg/l, Fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 5102 mg/l, Daphnia magna

Acute toxicity - aquatic plants IC₅₀, 72 hours: >2,000 mg/l, Algae

Bioaccumulative potential

Partition coefficient : 0.05

13. Disposal considerations

Waste treatment methods

General information Reuse or recycle products wherever possible.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

14. Transport information

UN Number

UN No. (TDG) 1219

UN No. (IMDG) 1219

UN No. (ICAO) 1219

UN No. (DOT) 1219

UN proper shipping name

Proper shipping name (TDG) UN1219, ISOPROPYL ALCOHOL, 3, PGII

Proper shipping name (IMDG) UN1219, ISOPROPYL ALCOHOL, 3, PGII

Proper shipping name (ICAO) UN1219, ISOPROPYL ALCOHOL, 3, PGII

Proper shipping name (DOT) UN1219, ISOPROPYL ALCOHOL, 3, PGII

Transport hazard class(es)

TDG class 3

IMDG Class 3

ICAO class/division 3

Packing group

TDG Packing Group II

Isopropyl Alcohol

IMDG packing group II

ICAO packing group II

DOT packing group II

Environmental hazards

Environmentally Hazardous Substance

No.

Special precautions for user

EmS F-E, S-D

15. Regulatory information

US Federal Regulations

SARA Section 302 Extremely Hazardous Substances Tier II Threshold Planning Quantities

Not listed.

CERCLA/Superfund, Hazardous Substances/Reportable Quantities (EPA)

Not listed.

SARA Extremely Hazardous Substances EPCRA Reportable Quantities

Not listed.

SARA 313 Emission Reporting

No.

CAA Accidental Release Prevention

Not listed.

OSHA Highly Hazardous Chemicals

Not listed.

US State Regulations

California Proposition 65 Carcinogens and Reproductive Toxins

Not listed.

California Air Toxics "Hot Spots" (A-I)

Present.

California Air Toxics "Hot Spots" (A-II)

Not listed.

California Directors List of Hazardous Substances

Present.

Massachusetts "Right To Know" List

Present.

Rhode Island "Right To Know" List

Present.

Minnesota "Right To Know" List

Present.

Isopropyl Alcohol

New Jersey "Right To Know" List

Present.

Pennsylvania "Right To Know" List

Present.

Inventories

EU - EINECS/ELINCS

EINECS

Canada - DSL/NDSL

DSL

US - TSCA

Present.

US - TSCA 12(b) Export Notification

No.

Australia - AIIIC

Yes

Japan - ENCS

Yes

Korea - KECI

Yes

China - IECSC

Yes

Philippines - PICCS

Yes

16. Other information

Revision date	7/13/2022
Revision	32
Supersedes date	1/18/2021
SDS No.	BULK - IPA
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapor. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.