



USA

Fiber Optic Cleaners

***When you need perfectly
clean splices & connectors™***

CLEANING FLUIDS & SPRAYS



Sticklers™ Fiber Optic Splice & Connector Cleaner II Cleaning Fluid

Use for best practice wet-to-dry cleaning methodology

- Nonflammable cleaning fluid specifically engineered for cleaning ceramic and composite ferrule faces; glass & plastic lenses
- Dissipates electrostatic charge and removes dust, dirt, fingerprints & moisture
- Ultra-pure, fast-drying formula leaves no residues
- Non-hazardous for easy storage and shipping
- RoHS & REACH compliant



DESCRIPTION	WEIGHT	SIZE	PART NUMBER	CLEANS
Fiber Optic Splice & Connector Cleaner II	85 g	3 oz (Travel Size)	SFOC03M	650+ Cleans/Can
	284 g	10 oz	SFOC10M	2500+ Cleans/Can

DESCRIPTION	WEIGHT	SIZE	PART NUMBER	CLEANS
Fiber Optic Splice & Connector Cleaner*	85 g	3 oz (Travel Size)	POC03M	650+ Cleans/Can
	284 g	10 oz	POC10M	2500+ Cleans/Can

Note: This product is sold by weight not volume.

*POC03M and POC10M only for DoD, NSM: 6850-592-9391.



Sticklers™ Fiber Cleaning Fluid

Engineered for VIAVI Solutions® CleanBlastPRO fiber end-face cleaning system

- High purity, optic grade cleaning fluid
- Nonflammable and nonhazardous
- Fast drying, leaves no residue
- Quickly removes dust, lint, oil and grit
- Engineered for cleaning all fiber connectors

DESCRIPTION	SIZE	PART NUMBER	Previous Cleanblast Equivalent
Fiber Cleaning Fluid	8 oz Glass Bottle	FCF-1J	FCLP-SOL1
	6 pack/8 oz Glass Bottles	FCF-1J6	FCLP-SOL1-6
	1-Gallon Glass Bottle	FCF-1GG	FCLP-SOL1-XL
	5-Gallon Steel Pail	FCF-1P	--



Sticklers™ Optical-Grade Dust & Particle Remover

Cleans dust and connector wear debris from inaccessible areas

- High-purity, optical-grade duster
- High-pressure abrasion-free cleaning
- Nonflammable
- Safe on energized equipment
- Use on EBO (Expanded Beam Optical Fiber)
- Extension spray tube included
- Leaves no residue
- RoHS & WEEE compliant

DESCRIPTION	SIZE	PART NUMBER
Optical Grade Dust & Particle Remover	10 oz (280 g)	FOD10A

Sticklers™ CleanWipes Optical-Grade Wipes

Lint-free wipes for connectors and bare fibers

- Optical-grade lint-free wipes engineered for cleaning fiber for splicing and cleaning fiber optic connector end-faces
- Exclusive electrostatic dissipating cleaning surface
- Resists tearing and shredding
- High-modulus wipes with high absorbency
- Makes “wet/dry” cleaning simple and cost-effective



For best results, use with:
**Sticklers™ Fiber Optic
Splice & Connector Cleaner II**




- A. CleanWipes 640** optical-grade wipes are packaged in an inner box with eight color-coded cleaning slots. Slots allow for multiple cleans with no cross-contamination. Inner box has a dissipative lining to remove triboelectric charging to eliminate static caused contamination. Highly-visible plastic outer box keeps wipes clean and dry.
Slots accept LC and SC duplex.
- B. CleanWipes 600** optical-grade wipes in portable cleaning box is perfect for your tool box. Box features six color-coded cleaning slots for multiple cleans per wipe.
Slots accept LC and SC duplex.
- C. Outdoor CleanWipes** single wipes provide fast, consistent and convenient end-face cleaning even in harsh environments. Each wipe is protected in a hermetically-sealed package that keeps it clean and dry until opened.
- D. CleanWipes 90** optical-grade wipes in convenient mini-tub ideal for the benchtop. Engineered for use on bare fiber before splicing and also for cleaning fiber optic jumpers.
NSN: 7920-01-547-6547
- E. CleanWipes Flat Pack** - 50 optical grade wipes to a plastic bag. Ideal for cleaning bare fiber and fiber optic connector end-faces.

	DESCRIPTION	SIZE	PART NUMBER	CLEANS
A	CleanWipes™ 640	2" x 4.25"	WCS640	640 Cleans/Box
B	CleanWipes™ 600	2" x 4.25"	WCS100	600 Cleans/Box
C	Outdoor CleanWipes™	1.63" x 2.63"	FA1	50 Packets/Bag
D	CleanWipes™ 90	2" x 4.25"	WFW	90 Wipes/Tub
E	CleanWipes™ Flat Pack	4" x 4"	WF44ST	50 Wipes/Bag

Sticklers™ Cassette CleanClicker™ Fiber Optic Connector Cleaner

Cleans multiple end-faces, including duplex, with simple advancement



- Features micro-woven cleaning ribbon with excellent dust trapping and residue absorption
- Compact size and manual advancement are perfect for field or production environments




Cassette CleanClicker™ (CCWRC)

Cleans SC and LC duplex, ST, FC, E2000 and female (no guide pins) MPO and MMC cable assemblies



Cassette CleanClicker™ MT (CCWMT)

Cleans male (with guide pins) MT and MCC ferrules



DESCRIPTION	PART NUMBER	CLEANS
Cassette CleanClicker™ Cleaner	CCWRC	400+
Cassette CleanClicker™ Cleaner MT	CCWMT	400+

Sticklers™ Multifiber CleanClickers™

MPO, MPO-16, MMC and MMC-16 Fiber Optic Connector Cleaners

Perfect for cleaning connectors in high-density cabling networks, data centers and central offices.

Made with static-dissipative materials to suppress static electricity build up and suitable for ESD protected areas.

Smooth click-to-clean push action with light contact force to eliminate the risk of end-face damage.

Clean dust, particulates and oil contamination.


Color coded to minimize user error and speed cleaning.

MPO and MPO-16:

- Clean MPO, MTP®, multimode and single mode connectors
- Use on female and male MT ferrules
- Keyless tip for up or down insertion
- 600+ cleans per CleanClicker™

MMC and MMC-16:

- Clean MMC, multimode and single mode connectors
- Use on female and male TMT and MT ferrules
- 550+ cleans per CleanClicker™



For best results, use with:
Sticklers™ Fiber Optic
Splice & Connector Cleaner II




Video:
How to Use:
MPO CleanClicker™ 600

@ SticklersCleaners.com

DESCRIPTION	PART NUMBER	CLEANS
MPO CleanClicker™ 600	CCMPO	600+
MPO-16 CleanClicker™ 600	CCMPO-16	600+
MMC CleanClicker™	CCMMC	550+
MMC-16 CleanClicker™	CCMMC-16	550+

Sticklers™ CleanClicker™ 750 Fiber Optic Connector Cleaners


Self-aligning clicker for cleaning both ends of a connector pair



- Click-to-clean dust particulate and oil contamination
- High-purity cleaning strand delivers perfect cleanings with a single click
- Uses super-smooth activation with light tip forces to deliver great cleaning with no risk of damaging the end-face
- Long barrel length to operate in high fiber-count panels without disrupting adjacent connectors
- Money-saving refills sold in pack of two

1.25mm CleanClicker™ 750 (GREEN Label Color Code)	2.5mm CleanClicker™ 750 (BLUE Label Color Code)
Connector Systems Serviced: LC/UPC, LC/APC, Hardened LC, MU/UPC, MU/APC, Some hardened 1.25mm*	Connector Systems Serviced: SC/UPC, SC/APC, ST, FC/APC, FC/UPC, E2000/UPC, E2000/ APC, OptiTap™, Some hardened 2.5mm*


*Please contact Sticklers™ for information on use with proprietary connector systems



DESCRIPTION	PART NUMBER	CLEANS
1.25mm CleanClicker™ 750 Cleaner (Green)	CCU125	750+
1.25mm CleanClicker™ 750 Refill Cartridge (2)	CCR125	1500+
2.5mm CleanClicker™ 750 Cleaner (Blue)	CCU250	750+
2.5mm CleanClicker™ 750 Refill Cartridge (2)	CCR250	1500+

Sticklers™ CleanClicker™ +1K Fiber Optic Connector Cleaners

Get 1000+ speedy cleans in each tool for the lowest cost per clean



- High-purity cleaning strand removes dust, particulate and oil contamination
- Compact, pen-style tool cleans connectors with just a single click
- Gentle activation will not damage end-faces during cleaning
- Proprietary bundled microfiber cleaning strand
- Made with static dissipating materials to prevent static build up during tool movement

1.25mm CleanClicker™ 750 (GREEN Label Color Code)	2.5mm CleanClicker™ 750 (BLUE Label Color Code)
Connector Systems Serviced: LC, MU, most SFP+ Transceivers	Connector Systems Serviced: SC, FC, ST, E2000, OptiTap™

DESCRIPTION	PART NUMBER	CLEANS
1.25mm CleanClicker™ +1K Cleaner (Green)	CC1251K	1000+
2.5mm CleanClicker™ +1K Cleaner (Blue)	CC2501K	1000+

CLEANSTIXX™ CONNECTOR CLEANING STICKS



Video:
How to Use CleanStixx™
@ SticklersCleaners.com



Sticklers™ CleanStixx™ Connector Cleaning Sticks

Versatile sticks clean all connector types, sizes or configurations


- Patented sintered polymer fibers for consistent high-purity cleaning
- Precisely molded to clean the entire end-face
- Ultra-clean construction does not contain fabric, foam or glue
- Packaging: High-purity, 5 packs of 10 CleanStixx™ per box




For best results, use with:
**Sticklers™ Fiber Optic
Splice & Connector Cleaner II**

CleanStixx™ Connector Cleaning Sticks Deliver Fast & Consistent Results

The fibers spread apart
and grip particulate.
Capillary action wicks
liquids from the surface.



On the head of each
CleanStixx™, fibers
flex to easily conform
to the end-face.



S16 (1.6mm)



S12 (1.25mm)



S25 (2.5mm)



XMT (MT)



P25 (Pin Termini)



EB12 (EB)



DESCRIPTION	PART NUMBER	CLEANS
1.6mm CleanStixx™ - Orange NSN: 6070-01-553-2262	S16	MIL PRF 29504/5, MIL PRF 29504/15, MIL DTL 38999, MIL DTL 28876, SMPTE304 Jack
1.25mm CleanStixx™ - Green NSN: 6070-01-553-2267	S12	LC, MU, SFP+, ODC, ARINC801, NGCON, LUXCIS, CS
2.5mm CleanStixx™ - Blue NSN: 6070-01-553-2263	S25	SC, ST, FC, E2000, MIL DTL 83526, OptiTap™
MT CleanStixx™ - Pink	XMT	MPO, HFMO, MT Ferrules, OptiTap™
Pin Termini CleanStixx™ - Yellow NSN: 6070-01-553-2258	P25	MIL PRF 29504/4, MIL DTL 29504/14, MIL PRF 28876, MIL DTL 83526, MIL DTL 38999, ARINC801, ODC, SMPTE 304 Plug, NGCON
EB CleanStixx™ - Purple	EB12	1.2mm Lensed Termini for MIL 38999
Combo Pack - Includes 10 of each: 1.6mm, 1.25mm, 2.5mm, Pin Termini, MT CleanStixx™	VM	Military and Commercial Connectors
Combo Pack - Includes 10 of 1.25mm, 20 of 2.5mm, and 20 of Pin Termini CleanStixx™	VS	Commercial Connectors



Sticklers™ Fiber Optic Cleaning Kits

- Optimized for general installations and enterprise environments
- Everything you need for fast, reliable fiber optic cleaning
- Ship anywhere without hazardous material fees



Kits Contain:

- Rugged Carrying Bag with Extra Pockets
- Fiber Optic Splice & Connector Cleaners
- Variety of Sticklers CleanClickers™
- Optical Grade Clean Wipes
- Multiple-sized CleanStixx™

PART NUMBER		FK03	FK05	FK08	FK12	FK-FTTA	FK-FTTH
KIT CONTAINS	PAGE	Splice & Termination	Military Ready	High Volume/ Universal	Heavy Duty	1.25mm FTTA	2.5mm FTTH
CLEANS		800+	800+	2300+	2300	1500+	1800+
CleanClicker™ 750 - 1.25mm (CCU125)	5	-	-	1	1	-	-
CleanClicker™ 750 - 2.5mm (CCU250)	5	-	-	1	1	-	1
CleanClicker™ 400 - 1.25mm (CCM125)	-	-	-	-	-	1	-
Cassette CleanClicker™ Cleaner (CCWRC)	4	-	-	-	1	1	1
Fiber Optic Splice & Connector Cleaning Fluid II 85 g / 3 oz Can (SFOC03M)	2	2	2	2	2	1	1
CleanWipes™ Optical Grade Wipes - 640/Box (WCS640)	3	-	-	-	-	1	1
CleanWipes™ Optical Grade Wipes - 600/Box (WCS100)	3	1	1	1	-	-	-
CleanWipes™ Optical Grade Wipes - 90/Tub (WFW)	3	1	1	1	1	-	-
Outdoor CleanWipes™ Optical Grade Wipes (FA1)	3	25	25	25	1	-	-
CleanStixx™ Green - 1.25mm (S12)	6	20	10	20	20	50	-
CleanStixx™ Blue - 2.5mm (S25)	6	30	10	30	30	-	50
Pin Termini CleanStixx™ - Yellow (P25)	6	-	10	-	-	50	-
CleanStixx™ Green - 1.6mm (S16)	6	-	10	-	-	-	-
MT CleanStixx™ - Pink (XMT)	6	-	10	-	-	-	-
Bag Color	-	Orange	Black	Orange	Orange	Orange	Orange



A NEW ERA IN
FIBER CLEANING

This industry-first portable device precisely sprays high-purity cleaning fluid onto the end face, helping remove contamination while reducing the risk of contact-related damage. It cleans connector end-faces quickly and without contact.

Product Features:

- Touchless cleaning eliminates scratching
- Full end-face 360° clean prevents migratory residues and particulate from getting near the core
- Utilizing interchangeable tips, single device cleans multiple connector sizes (1.25mm, 2.5mm FC, MPO (12/16), MMC (12/16))
- Single activation delivers a micro-dose of atomized cleaning fluid inside a narrow column of pressurized air onto a fiber optic connector end face to the ferrule edge
- Compact device for field portability (battery) or AC line-powered for in-house, high-volume use

Part Number P360 Includes:

DESCRIPTION	QTY
PRO360° Touchless Cleaner Tool	1
Shoulder Strap	1
Rechargeable Lithium Ion Battery	2
A/C Power Supply & International Adapter Set	1
PRO360° High Purity Fiber Cleaning Fluid (2100+ cleans)	1
PRO360° Cleaning Tip, 1.25mm	1
PRO360° Cleaning Tip, 2.5mm	1

Multiple Global Patents Awarded.



High-Purity Fiber Cleaning Fluid
Part Number: P360SOL-A

- One spill proof replaceable fluid canister provides 2100+ cleans
- Nonflammable cleaning fluid canister is easy to install
- Ships non-hazardous/not regulated globally by all modes of transportation



SCAN TO LEARN MORE:
TIPS & ACCESSORIES



Field Combination Kit Part Number: P360-C

- 1 - PRO360° Touchless Cleaner Tool (P360)
- 1 - Protective Case
- 1 - Fiber Optic Splice & Connector Cleaning Fluid II (SFOC03M)
- 1 - CleanWipes Tub (WFW)
- 1 - Pack of CleanStixx™ 1.25mm (S12)
- 1 - Pack of CleanStixx™ 2.5mm (S25)



SticklersCleaners.com

When You Need Perfectly Clean Splices & Connectors™



Follow Us!



MicroCare, LLC
New Britain, CT 06051 USA
Toll Free: 1 800 638 0125
TechSupport@MicroCare.com

MicroCare U.K. Ltd
Leeds, UK
Tel: +44 (0) 113 3609019
MCCEurope@MicroCare.com

MicroCare Asia Pte Ltd
Singapore 118529
Tel: +65 6271 0182
TechSupport@MicroCare.sg