







Ů USA

Fiber Optic Cleaners

When you need perfectly clean splices & connectors™

CLEANING FLUIDS & SPRAYS



Sticklers[™] Fiber Optic Splice & Connector Cleaner Cleaning Fluid

Improves the cleaning efficiency of wipes, swabs and cleaning tools

- Nonflammable cleaning fluid specifically engineered for cleaning ceramic and composite ferrule faces; glass & plastic lenses
- Dissipates electrostatic charge and removes dust, dirt, fingerprints & moisture
- · Ultra-pure, fast-drying formula leaves no residues
- Non-hazardous for easy storage and shipping
- RoHS & REACH compliant





Video: How to Use Fiber Optic Splice & Connector Cleaner @ SticklersCleaners.com

DESCRIPTION	WEIGHT	SIZE	PART NUMBER	CLEANS
Fiber Optic Splice &	85 g	3 oz (Travel Size)	MCC-POC03M	650+ Cleans/Can
Connector Cleaner	284 g	10 oz	MCC-POC10M	2500+ Cleans/Can

Note: This product is sold by weight not volume.

Sticklers[™] Fiber Cleaning Fluid

CleanBlast[™] HFE-Based Cleaning Fluid



Engineered for VIAVI Solutions[®] CleanBlastPRO fiber end face cleaning system

- · High purity, optic grade cleaning fluid
- · Nonflammable and nonhazardous
- · Fast drying, leaves no residue
- · Quickly removes dust, lint, oil and grit
- · Engineered for cleaning all fiber connectors



DESCRIPTION	SIZE	PART NUMBER	DESCRIPTION	SIZE	PART NUMBER
Sticklers™ Fiber Cleaning Fluid	8 oz Glass Bottle	FCF-1J	CleanBlast™	8 oz Glass Bottle	FCLP-SOL1
	1-Gallon Glass Bottle	FCF-1GG	HFE-Based Cleaning Fluid	1-Gallon Glass Bottle	FCLP-SOL1-XL
	5-Gallon Steel Pail	FCF-1P		Case/ 6 - 8oz Glass Bottles	FCLP-SOL1-6

Optical-Grade Dust & Particle Remover Cleans dust & connector wear debris from inaccessible areas



· High-pressure abrasion-free cleaning

- Nonflammable
- Safe on energized equipment
- High-purity, optical-grade duster
- · Extension spray tube included
- · Leaves no residue
- RoHS & WEEE compliant

DESCRIPTION	SIZE	PART NUMBER
Optical Grade Dust & Particle Remover	10 oz (280 g)	MCC-FOD10A



Sticklers[™] CleanWipes Optical Grade Wipes Lint-free wipes for connectors and bare fibers

 Optical-grade lint-free wipes engineered for cleaning fiber for splicing and cleaning fiber optic connector end-faces

STICKLERS

C.

- Exclusive electrostatic dissipating cleaning surface
- · Resists tearing and shredding

Α.

- High-modulus wipes with high absorbency
- Makes "wet/dry" cleaning simple and cost-effective

В.





Cleaning slots feature a tight pitch to clean both end-faces on duplex connectors with one swipe.




- A. CleanWipes 640 optical-grade wipes are packaged in an inner box with eight color-coded cleaning slots. Slots allow for multiple cleans with no cross-contamination. Inner box has a dissipative lining to remove triboelectric charging to eliminate static caused contamination. Highly-visible plastic outer box keeps wipes clean and dry. *Slots accept LC and SC duplex.*
- B. CleanWipes 600 optical-grade wipes in portable cleaning box is perfect for your tool box. Box features six color-coded cleaning slots for multiple cleans per wipe.
 Slots accept LC and SC duplex.
- **C. Outdoor CleanWipes** single wipes provide fast, consistent and convenient end-face cleaning even in harsh environments. Each wipe is protected in a hermetically-sealed package that keeps it clean and dry until opened.
- D. CleanWipes 90 optical-grade wipes in convenient mini-tub ideal for the benchtop. Engineered for use on bare fiber before splicing and also for cleaning fiber optic jumpers. NSN: 7920-01-547-6547
- **E.** CleanWipes Flat Pack 50 optical grade wipes to a plastic bag. Ideal for cleaning bare fiber and fiber optic connector end-faces.

	DESCRIPTION	SIZE	PART NUMBER	CLEANS
А	CleanWipes™ 640	2" x 4.25"	MCC-WCS640	640 Cleans/Box
В	CleanWipes™ 600	2" x 4.25"	MCC-WCS100	600 Cleans/Box
С	Outdoor CleanWipes™	1.63" x 2.63"	MCC-FA1	50 Packets/Bag
D	CleanWipes™ 90	2" x 4.25"	MCC-WFW	90 Wipes/Tub
Е	CleanWipes™ Flat Pack	4" x 4"	MCC-WF44ST	50 Wipes/Bag

Sticklers[™] Cassette CleanClicker[™] Fiber Optic Connector Cleaner Cleans multiple end-faces, including duplex, with simple advancement

Static-Free

Cleaning



Sticklers[™] MPO CleanClicker[™] 600 Fiber Optic Connector Cleaner Keyless cleaning tip allows operator to insert cleaner up or down for hard to reach connectors



Sticklers[™] CleanClicker[™] 400 Fiber Optic Connector Cleaner Compact size for cleaning in confined spaces



- 1.25mm cleans LC, MU, ODC, ARINC801, NGCON, CS and other hardened 1.25mm connector systems
- Optimized for carrier networks, ideal for OSP and premises applications, enterprise applications, field installation kits, OEM assembly and research labs


DESCRIPTION	PART NUMBER	CLEANS
1.25mm CleanClicker™ 400 Cleaner	MCC-CCM125	400+

CLEANS

600+

Sticklers[™] CleanClicker[™] 750 Fiber Optic Connector Cleaners

Self-aligning clicker for cleaning both ends of a connector pair



- Click-to-clean dust particulate and oil contamination
- High purity cleaning strand delivers perfect cleanings
 with a single click
- Uses super-smooth activation with light tip forces to deliver great cleaning with no risk of damaging the end-face
- Long barrel length to operate in high fiber-count panels without disrupting adjacent connectors
- · Money-saving refills sold in pack of two



1.25mm CleanClicker [™] 750 (GREEN Label Color Code)	2.5mm CleanClicker [™] 750 (BLUE Label Color Code)
Connector Systems Serviced:	Connector Systems Serviced:
LC/UPC, LC/APC, Hardened LC,	SC/UPC, SC/APC, ST, FC/APC,
MU/UPC, MU/APC,	FC/UPC, E2000/UPC, E2000/
Some hardened 1.25mm*	APC, OptiTap™,
	Some hardened 2.5mm*

*Please contact Sticklers™ for information on use with proprietary connector systems


DESCRIPTION	PART NUMBER	CLEANS
1.25mm CleanClicker™ 750 Cleaner (Green)	MCC-CCU125	750+
1.25mm CleanClicker™ 750 Refill Cartridge (2)	MCC-CCR125	1500+
2.5mm CleanClicker™ 750 Cleaner (Blue)	MCC-CCU250	750+
2.5mm CleanClicker™ 750 Refill Cartridge (2)	MCC-CCR250	1500+

Sticklers[™] CleanClicker[™] +1K Fiber Optic Connector Cleaners Get 1000+ speedy cleans in each tool for the lowest cost per clean





2.5mm CleanClicker™ +1K Cleaner (Blue)





Connector Cleaning APC Cleaning

MCC-CC2501K

		imm CleanClick BLUE Label Color		
Connector Systems Serviced: LC, MU, most SFP+ Transceivers		nector Systems Serviced , FC, ST, E2000, OptiTap [™]		
DESCRIPTION		PART NUMBER	CLEANS	
1.25mm CleanClicker™ +1K Cleaner (Green)		MCC-CC1251K	1000+	

•	High purity cleaning strand removes dust,
	particulate and oil contamination

- Compact, pen-style tool cleans
 connectors with just a single click
- Gentle activation will not damage end-faces
 during cleaning
- Proprietary bundled microfiber cleaning strand
- Made with static dissipating materials to prevent static build up during tool movement

1000+

CLEANSTIXX[™] CONNECTOR CLEANING STICKS



SticklersTM CleanStixxTM Connector Cleaning Sticks Versatile sticks cleans all connector types, sizes or configurations

MCC-S16 (1.6mm)

MCC-S12 (1.25mm)

- Patented sintered polymer fibers for consistent high-purity cleaning
- · Precisely molded to clean the entire end-face
- · Ultra-clean construction does not contain fabric, foam or glue
- Packaging: high-purity, self-sealing bags
 5 packages of 10 sticks per box




For best results, use with: Sticklers™ Fiber Optic Splice & Connector Cleaner

Video:

How to Use CleanStixx™ @ SticklersCleaners.com

CleanStixx[™] Connector Cleaning Sticks Deliver Fast & Consistent Results



DESCRIPTION	PART NUMBER	CLEANS
1.6mm CleanStixx™ - Orange <i>NSN: 6070-01-553-2262</i>	MCC-S16	MIL PRF 29504/5, MIL PRF 29504/15, MIL DTL 38999, MIL DTL 28876, SMPTE304 Jack
1.25mm CleanStixx™ - Green <i>NSN: 6070-01-553-2267</i>	MCC-S12	LC, MU, SFP+, ODC, ARINC801, NGCON, LUXCIS, CS
2.5mm CleanStixx™ - Blue <i>NSN: 6070-01-553-2263</i>	MCC-S25	SC, ST, FC, E2000, MIL DTL 83526, OptiTap™
MT CleanStixx™ - Pink	MCC-XMT	MPO, HFMOC, MT Ferrules, OptiTap™
Pin Termini CleanStixx™ - Yellow NSN: 6070-01-553-2258	MCC-P25	MIL PRF 29504/4, MIL DTL 29504/14, MIL PRF 28876, MIL DTL 83526, MIL DTL 38999, ARINC801, ODC, SMPTE 304 Plug, NGCON
EB CleanStixx™ - Purple	MCC-EB12	1.2mm Lensed Termini for MIL 38999
Combo Pack - Includes 10 of each: 1.6mm, 1.25mm, 2.5mm, Pin Termini, MT CleanStixx™	MCC-VM	Military and Commercial Connectors
Combo Pack - Includes 10 of 1.25mm, 20 of 2.5mm, and 20 of Pin Termini CleanStixx™	MCC-VS	Commercial Connectors



Sticklers[™] Fiber Optic Cleaning Kits

Optimized for general installations and enterprise environments Everything you need for fast, reliable fiber optic cleaning Ship anywhere without hazardous material fees





Kits Contain:

Rugged Carrying Bag with Extra Pockets Fiber Optic Splice & Connector Cleaners Variety of Sticklers CleanClickers[™] Optical Grade Clean Wipes Multiple-sized CleanStixx[™]

PART NUMBER		MCC- FK03	MCC- FK05	MCC- FK08	MCC- FK12	MCC- FK-FTTA	MCC- FK-FTTH
KIT CONTAINS	PAGE	Splice & Termination	Military Ready	High Volume/ Universal	Heavy Duty	1.25mm FTTA	2.5mm FTTH
CLEANS		800+	800+	2300+	2300	1500+	1800+
CleanClicker™ 750 - 1.25mm (MCC-CCU125)	5	-	-	1	1	-	-
CleanClicker [™] 750 - 2.5mm (MCC-CCU250)	5	-	-	1	1	-	1
CleanClicker™ 400 - 1.25mm (MCC-CCM125)	4	-	-	-	-	1	-
Cassette CleanClicker™ Cleaner (MCC-CCWRC)	4	-	-	-	1	1	1
Fiber Optic Splice & Connector Cleaning Fluid 85 g / 3 oz Can (MCC-POC03M)	2	2	2	2	2	1	1
CleanWipes™ Optical Grade Wipes - 640 /Box (MCC-WCS640)	3	-	-	-	-	1	1
CleanWipes™ Optical Grade Wipes - 600 /Box (MCC-WCS100)	3	1	1	1	-	-	-
CleanWipes™ Optical Grade Wipes - 90 /Tub (MCC-WFW)	3	1	1	1	1	-	-
Outdoor CleanWipes™ Optical Grade Wipes (MCC-FA1)	3	25	25	25	1	-	-
CleanStixx™ Green - 1.25mm (MCC-S12)	6	20	10	20	20	50	-
CleanStixx™ Blue - 2.5mm (MCC-S25)	6	30	10	30	30	-	50
Pin Termini CleanStixx™ - Yellow (MCC-P25)	6	-	10	-	-	50	-
CleanStixx™ Green - 1.6mm (MCC-S16)	6	-	10	-	-	-	-
MT CleanStixx™ - Pink (MCC-XMT)	6	-	10	-	-	-	-
Bag Color	-	Orange	Black	Orange	Orange	Orange	Orange

NEW from Sticklers™





A NEW ERA IN FIBER CLEANING

An industry first portable device that incorporates best-in-class benefits to spray a high purity solvent onto an end face for non-contact cleaning.

Product Features:

- · Touchless cleaning eliminates scratching
- Full end face 360° clean prevents migratory residues and particulate from getting near the core
- Utilizing interchangeable tips, single device cleans multiple connector sizes (1.25mm, 2.5mm and MPO)
- Single activation delivers a micro-dose of atomized cleaning fluid inside a narrow column of pressurized air onto a fiber optic connector end face to the ferrule edge
- Compact device for field portability (battery) or AC line-powered for in-house, high-volume use

Part Number MCC-P360 Includes:

DESCRIPTION	QTY	
Pro360° Touchless Cleaner Tool	1	
Shoulder Strap	1	
Rechargeable Lithium Ion Battery	2	
A/C Power Supply & International Adapter Set		
Pro360° High Purity Fiber Cleaning Fluid (2100+ cleans)	1	
Pro360° Cleaning Tip, 1.25mm	1	
Pro360° Cleaning Tip, 2.5mm	1	

Multiple US and International Patents Pending.



High- Purity Fiber Cleaning Fluid Part Number: MCC-P360SOL-A

- · One spill proof replaceable fluid canister gets 2100+cleans
- · Nonflammable cleaning fluid canister is easy to install
- Ships non-hazardous/not regulated globally by all modes of transportation



SticklersCleaners.com When You Need Perfectly Clean Splices & Connectors



MicroCare, LLC New Britain, CT 06051 USA Toll Free: 1 800 638 0125 TechSupport@MicroCare.com MicroCare U.K. Ltd Leeds, UK Tel: +44 (0) 113 3609019 MCCEurope@MicroCare.com

TechSupport@MicroCare.sg

MicroCare Asia Pte Ltd

Singapore 118529

Tel: +65 6271 0182

ISO 9001:2015 Registered

© 2025 MicroCare. "Sticklers", the Sticklers logo, "CleanStixx", "CleanClicker", "TravelSafe", "Triton", and "When you need perfectly clean splices & connectors" are trademarks or registered trademarks of MicroCare, LLC, "OptITp" and "OptITap" are registered trademarks of Corning Communications, "ODC" is a trademark of Huber+Suhner, and "LUXCIS" is a trademark of Radiall. U.S. Patents #8,402,587; #D623,369; #7,401,374 B2; #7,685,668; #7,784,647 B2: Compliant with EU/95/202/EC RoHS. The information set forth herein is based on data believed to be reliable. MicroCare makes no warranties express or implied as to its accuracy and assumes no liability arising out of its use by others. This publication is not to be taken as a license to operate under, nor to infringe upon, any patents not herein expressly described.